

American Heart Journal

The international publication for the study of the heart and circulation

Editor in Chief: DEAN T. MASON, M.D. San Francisco, Calif.

Managing Editor: LESLIE J. SILVERNAIL San Francisco, Calif.

Senior Manuscript Editor: PETER MALIK St. Louis, Mo.

Editorial Board

W. Gerald Austen, M.D., *Boston*
Najam A. Awan, M.D., *Sacramento*
Daniel S. Berman, M.D., *Los Angeles*
J. Thomas Bigger, M.D., *New York*
William J. Bommer, M.D., *Davis*
Lawrence I. Bonchek, M.D., *Lancaster*
Lawrence S. Cohen, M.D., *New Haven*
Lawrence H. Cohn, M.D., *Boston*
John J. Collins, Jr., M.D., *Boston*
C. Richard Conti, M.D., *Gainesville*
Anthony N. DeMaria, M.D., *Lexington*
Mary Allen Engle, M.D., *New York*
Harvey Feigenbaum, M.D., *Indianapolis*
Victor F. Froelicher, M.D., *Long Beach*
Paul C. Gillette, M.D., *Charleston*
John F. Goodwin, M.D., *London*
Antonio M. Gotto, Jr., M.D., *Houston*
Rolf M. Gunnar, M.D., *Maywood*
W. Proctor Harvey, M.D., *Washington, D.C.*
Richard H. Helfant, M.D., *Philadelphia*
Walter L. Henry, M.D., *Irvine*
J. O'Neal Humphries, M.D., *Columbia*
J. Willis Hurst, M.D., *Atlanta*
Mark E. Josephson, M.D., *Philadelphia*
William B. Kannel, M.D., *Framingham*
Norman M. Kaplan, M.D., *Dallas*

Samuel Kaplan, M.D., *Cincinnati*
Joseph A. Kisslo, M.D., *Durham*
Garrett Lee, M.D., *San Francisco*
Michael Lesch, M.D., *Chicago*
Floyd D. Loop, M.D., *Cleveland*
Reginald I. Low, M.D., *Sacramento*
Robert I. Levy, M.D., *Boston*
Dan G. McNamara, M.D., *Houston*
Richard R. Miller, M.D., *Santa Rosa*
Robert A. O'Rourke, M.D., *San Antonio*
Joseph K. Perloff, M.D., *Los Angeles*
Bertram Pitt, M.D., *Ann Arbor*
Charles E. Rackley, M.D., *Washington, D.C.*
Thomas A. Riemschneider, M.D., *Cleveland*
Robert L. Reis, M.D., *Miami*
William C. Roberts, M.D., *Bethesda*
David J. Sahn, M.D., *San Diego*
Robert C. Schlant, M.D., *Atlanta*
Pravin M. Shah, M.D., *Los Angeles*
Walter Sommerville, M.D., *London*
James T. Willerson, M.D., *Dallas*
David O. Williams, M.D., *Providence*
Roger A. Winkle, M.D., *Stanford*
Richard M. Zakhem, M.D., *Miami*
Robert F. Zelis, M.D., *Hershey*
Douglas P. Zipes, M.D., *Indianapolis*

VOLUME 107
JANUARY-JUNE 1984

VOLUME 107

COPYRIGHT© 1984 BY

THE C.V. MOSBY COMPANY

All rights reserved

Printed in the United States of America

Author index*

A

Aaron BL, 851
 Abendroth R-R, 229
 Abendschein DR, 945
 Abinader EG, 808 (L)
 Agarwal JB, 707
 Agathangelou NE, 1025 (BC)
 Agmon J, 611 (L)
 Agozzino L, 1049 (BC)
 Ahuja RC, 1202
 Akers S, 669
 Akhtar M, 929, 1086
 Akins CW, 304
 Akizuki S, 707
 Alexander JA, 841
 Alfidi RJ, 1014
 Allen HD, 122, 319, 966, 1006, 1293 (BC)
 Alpert JS, 598 (BC), 1259 (BC)
 Anderson JL, 698
 Angello DA, 1142
 Ansinielli RA, 532
 Antonelli D, 609 (L), 1042 (BC)
 Aravanis C, 1023 (BC)
 Ardit A, 611 (L)
 Armstrong WF, 1266 (BC)
 Arntzenius AC, 248
 Asada K, 181 (BC), 1027 (BC)
 Asteggiano R, 925
 Ataii M, 396 (BC)
 Atallah G, 888
 Athanasopoulos K, 1023 (BC)
 Aueron F, 578 (BC)
 Austin SM, 108
 Axelrod P, 790 (BC)

B

Bachik M, 35
 Banim SO, 222
 Banka VS, 707
 Bansal RC, 591 (BC)
 Bañuelos F, 1035 (BC)
 Barbray M, 187 (L)
 Barlow JB, 378 (BC)
 Barnard CN, 8
 Barron JV, 122, 966, 1006
 Barzilay J, 609 (L)
 Bashour TT, 792 (BC)
 Bates E, 153
 Battler A, 796 (BC)
 Bauernfeind RA, 425
 Bauman JL, 425
 Baylen BG, 113
 Beamish RE, 293, 537
 Beaupre PN, 1021 (BC)
 Belhassen B, 399 (L)
 Bemis CE, 711
 Ben-Ami M, 1042 (BC)
 Benchimol A, 794 (BC)
 Benito F, 1029 (BC)
 Benjamin P, 102
 Benotti JR, 1259 (BC)
 Ben-Shachar G, 1235
 Berdoff RL, 391 (BC)
 Berger M, 391 (BC)
 Bertina R, 39

Beton DC, 811
 Bexton RS, 1, 222
 Bhargava V, 1297
 Bigger JT Jr, 1079
 Billingham M, 90
 Biwas NK, 790 (BC)
 Blackburn MR, 612
 Blake S, 394 (BC)
 Blanc JJ, 1044 (BC)
 Bleifeld W, 179 (BC)
 Bliesen LC, 1293 (BC)
 Bloomfield SA, 75
 Bloo C, 449, 458
 Bocchiaro M, 925
 Bodenheimer MM, 707
 Bommer W, 394 (BC), 777 (BC)
 Borggrefe M, 229
 Borgia C, 399 (L)
 Bortolotti U, 1049 (BC)
 Boshchat J, 1044 (BC)
 Bosman CK, 378 (BC)
 Botvinick EH, 1257 (BC)
 Boucher CA, 304, 475
 Boxerbaum B, 1235
 Boyd ST, 8
 Braat SH, 1183
 Bralet J, 1132
 Braunwald E, 13
 Bray BE, 698
 Bray CL, 811
 Breithardt G, 229
 Briet E, 39
 Brinker JA, 594 (BC)
 Brown JR, 789 (BC)
 Browne KF, 680
 Bruce RA, 1215
 Brugada P, 556, 685, 1053, 1183
 Brusca A, 925
 Bryhn M, 186 (L)
 Buckley MJ, 571
 Buis B, 248
 Bull U, 906
 Burack B, 543
 Burckhardt D, 167 (BC), 1103
 Burden LL, 261
 Burke JF, 718
 Burns CS, 310
 Bussey HI, 143
 Bussmann W-D, 940
 Butman S, 358
 Buxton AE, 1125
 Byrd BF III, 492

C

Cahalan MK, 1021 (BC)
 Calabrese P, 605 (BC)
 Callaghan JC, 402
 Camm AJ, 1, 222
 Capone RJ, 1153
 Carter C, 186 (L)
 Casta A, 444
 Cerimele BJ, 680
 Cerskus I, 1058
 Chan MC, 394 (BC), 777 (BC)
 Chan W, 81
 Chandraratna PAN, 801 (BC)

D

Dai Y, 475
 Danel I, 607 (L)
 Daniels S, 711
 Datz FL, 698
 David D, 53, 718
 Day B, 1215
 de Artaza M, 1039 (BC)
 de Caprio L, 61
 Dehmer GJ, 28
 de Hooge J, 248
 Delboy C, 45
 Denker S, 929

*January, pp. 1-200; February, pp. 201-410; March, pp. 411-618; April, pp. 619-874; May, Part 1, pp. 875-1052; May, Part 2, pp. 1053-1102; June, pp. 1103-1336.
 Key: In this index, (BC) = brief communication, and (L) = letter to the Editor.

DePace NL, 989, 1210
De Piccoli B, 172 (BC)
Desser KB, 794 (BC)
deTarnowsky JM, 1161
de Teresa E, 1039 (BC)
Detrano RC, 584 (BC)
de Zwaan C, 1183
Dhalla NS, 293, 537
Diamond GA, 68
Didier J-P, 1132
Dienstl F, 609 (L)
di Leo M, 925
Dillon JC, 1266 (BC)
DiMarco JP, 571
Distant A, 465
Dittrich HC, 733
Dobbs J, 1142
Dodek A, 781 (BC)
Doi Y, 181 (BC), 1027 (BC)
Douglas JS, 619
Doyle D, 838
Drexel H, 609 (L)
Drinkovic N, 326
Driscoll EM, 629
Ducloux G, 187 (L)
Duff HJ, 585 (BC), 1058
Duff J, 1290 (BC)
Dukich J, 777 (BC)
Dunn BE, 803 (BC)
Dunn RF, 1177
Dworzak E, 609 (L)
Dyckman J, 388 (BC)

E

Edwards JE, 378 (BC)
Ee B, 1034 (BC)
Ehsani AA, 75
Elizari MV, 648, 656
Ellis SG, 13
Elmer PJ, 549
El-Sherif N, 214, 1109
Embi A, 394 (BC)
Emmanouilides GC, 113
English TAJ, 1
Epstein AE, 902
Erba SM, 399 (L)
Erwin SW, 778 (BC)
Espiga de Macedo M, 809 (L)
Eugene J, 367
Evans DA, 119

F

Fagan LF, 1252
Falcão de Freitas A, 809 (L)
Faragher EB, 811
Faro RS, 841
Farré J, 556, 1053
Feigenbaum H, 165 (BC), 1266
(BC)
Feldman RL, 286, 820, 823,
841
Fenna D, 402
Fergusson RK, 399 (L)
Figueras J, 912
Findley LJ, 612
Fineberg N, 680
Finkbeiner W, 382 (BC)
Firth BG, 1276 (BC)
Fischer K, 798 (BC)
Fishbein MC, 623
Fletcher BD, 1014
Fogarty TJ, 845
Follath F, 1103
Fontaliran F, 1044 (BC)
Ford A, 90

Forman MB, 492
Forrester JS, 68
Forsyth DR, 1202
Foster C, 1229
Foster R, 153
Fowles RE, 127, 959
Frank M, 796 (BC)
Frankel PW, 1259 (BC)
Franzone AJ, 856
Freeman ML, 481
French WJ, 113
Fuentes F, 826
Fujii T, 332
Fujimoto T, 201
Fulginiti VA, 966
Furey SA III, 404
Furman S, 644

G

Gaffney FA, 1276 (BC)
Gaita F, 925
Galan K, 619
Gallagher KP, 458
Gallerstein PE, 391
Gamble WH, 950
Ganz W, 623
Garan H, 571, 1071
Garcia-Fernandez MA, 1029
(BC), 1035 (BC)
Gardin JM, 135, 310
Gardiner J, 1263
Garrett J, 394 (BC)
Garson A Jr, 411
Geft IL, 623
Gelband H, 444
Gelezunas VL, 367
Gerbaux A, 1044 (BC)
Ghabusi P, 396 (BC)
Gheorghiaide M, 388 (BC)
Gifford RW Jr, 980
Gillette PC, 411
Gillum BS, 765
Gillum RF, 549, 765
Gilpin E, 1241
Girotti LA, 648
Gobbi G, 925
Goldberg A, 648, 934
Goldberg E, 391 (BC)
Goldberg SJ, 122, 319, 966,
1006
Goldberger AL, 810 (L), 612,
1297
Goldhaber SZ, 119
Goldstein DS, 974
Goldstein S, 934, 1014
Gomes JAC, 214, 1109
Gondi B, 278
González M, 1039 (BC)
Gordon S, 176 (BC)
Gould KL, 826
Grande A, 925
Green M, 556, 685
Greenblatt DJ, 170 (BC)
Greene ER, 339
Greenspan AM, 711
Grenadier E, 122, 319, 966,
1006
Gressman MD, 980
Griffin JC, 90, 169 (BC), 440,
674
Gross MD, 81
Gruentzig A, 578 (BC), 619
Gugler R, 170 (BC)
Guiraudon G, 385 (BC), 1169
Gutiérrez L, 912
Gunnar RM, 127, 481

Guth B, 449, 458
Guthoff T, 170 (BC)

H

Hada Y, 1280 (BC)
Haendchen R, 623
Haerten K, 229
Haft JI, 35
Hagan A, 449
Hakim H, 396 (BC)
Hakki A-H, 711, 1210
Halperin MS, 656
Hamamoto H, 201
Hamburg C, 665
Hamer A, 209, 431, 997
Hamilton WK, 1021 (BC)
Hanna E, 777 (BC)
Hannagi T, 1215
Hanson A, 1099
Hare J, 1229
Hariman RJ, 214, 1109
Harris PJ, 1177
Harrison DC, 90
Hartmen D, 803 (BC)
Hashida J, 623
Hastey CE, 778 (BC)
Hastillo A, 813
Hauser AM, 176 (BC)
Hayes DL, 644
Heath G, 75
Hedde B, 556, 685
Heeren T, 1300
Heger JJ, 680
Hegesh T, 102
Heikkilä J, 241, 1040 (BC)
Helfant RH, 707
Hellestrand KJ, 1, 222
Henglein D, 411
Henkin RE, 127
Hennekens CH, 119
Henning H, 1241
Henry WL, 310
Henschke CI, 13
Herling I, 1187
Hermens WT, 248
Herre JM, 674
Heyliger CE, 537
Higgins JR, 375 (BC)
Hill JA, 820, 823
Hillert MC Jr, 261
Hillis LD, 1276 (BC)
Hindfelt B, 186 (L)
Hirota Y, 181 (BC), 1027 (BC)
Hirschfeld JW, 269
Hirsowitz GS, 934, 1098
Hoekenga DE, 339
Hoff JV, 425
Hoffman H, 738
Hoffmann A, 167 (BC), 1103
Hofshire PJ, 1286 (BC)
Hollaart L, 248
Hollman J, 619
Hollozsy JO, 75
Holman BL, 882
Holt DW, 787 (BC)
Hon-Yuan C, 519
Hooper RO, 781 (BC)
Hopkins JM, 526
Horalek C, 286
Horin M, 25
Horowitz LN, 711
Hossack KF, 1215
Ho-Tung P, 665
Hsu I, 784 (BC)
Hultgren HN, 959
Hurwitz RA, 726
Hussain SM, 108
Hutter JJ, 122
Hyon H, 25

I

Ikeda RM, 394 (BC), 777 (BC)
Iliceto S, 605 (BC)
Inbar R, 796 (BC)
Ishinger T, 619, 1271 (BC)
Iskandrian AS, 711, 1210

J

Jackson AS, 1229
Jacobson JG, 591 (BC)
Jacobstein MD, 1014
Jadraque LM, 1195
James TN, 902
Jeang M, 440
Johansson BW, 1099
Johnson WE, 826
Jones DL, 1169
Jones EL, 830, 836
Jones JW, 183 (BC)
Josephson ME, 1125
Jouve R, 45
Jugdutt BI, 505
Juska J, 147

K

Kabbani S, 792 (BC)
Kalf V, 81, 1263 (BC)
Kaltenbach M, 940
Kane SA, 711
Kang PS, 214, 1109
Kannel WB, 1300
Kaplan E, 481
Karagueuzian HS, 418
Karjalainen J, 1040 (BC)
Karlsberg RP, 367
Karmazyn M, 293
Kaski JC, 648
Kass EH, 119
Katayama K, 332
Kato Y, 919
Katoh T, 201, 418
Katz R, 784 (BC), 851
Kaul S, 526
Kawamura K, 181 (BC), 1027 (BC)
Kawanishi DT, 801 (BC)
Keiser HR, 974
Kelly MJ, 1263 (BC)
Kereiakes DJ, 382 (BC), 1257 (BC)
Kelly DT, 1177
Keren G, 638
Kessler KM, 665
Kim CS, 108
King SB III, 619, 836
Kinney TB, 845
Kino M, 181 (BC), 1027 (BC)
Kinoshita S, 919
Kiramatsu K, 809 (L)
Kirchmair W, 609 (L)
Kirkorian G, 888
Kirlin P, 153
Kitchen JG, 53
Klein GJ, 385 (BC), 1169
Kloner R, 13
Knauf DG, 841
Knutti J, 90
Kohno M, 332
Kolff J, 39
Korr KS, 388 (BC)
Kostuk WJ, 385 (BC)
Kotler MN, 745, 759, 986, 989, 1187, 1278 (BC)
Kremer PF, 1021 (BC)
Krone RJ, 798 (BC)
Kubo S, 181 (BC), 1027 (BC)
Kuck KH, 179 (BC)

Kumada T, 332
Kunze KP, 179 (BC)
Kuruc A, 726
Kusukawa R, 332
Kutalek S, 1187

L

L'Abbate A, 465
Lakier JB, 934
Lam W, 147
Lamaud M, 888
Lempert S, 1098
Lanza RP, 8
Larson JE, 1286 (BC)
Laskey W, 269
Lasky II, 785 (BC)
Lazzari JO, 648, 656
Lee G, 394 (BC), 777 (BC)
Lee MH, 777 (BC)
Lee TG, 934
LeFree M, 153
Leiboff RH, 851
LeJentel TH, 896
Lemmers HEAS, 248
Levi B, 298
Levine FH, 571
Levy MN, 404
Lewin RF, 611 (L)
Lewis BS, 1025 (BC)
Liebman J, 1235
Liem AH, 248
Lima CO, 122, 319, 966, 1006
Lisker B, 665
Littleford PO, 237
Loeb HS, 481
Loeb JM, 1161
Loepky JA, 339
Lombera F, 1029 (BC)
Look CE, 1286 (BC)
Lopez-Sendon J, 1029 (BC), 1035 (BC), 1195
Lown B, 882, 1098
Lucas RV Jr, 1293 (BC)
Lucchesi BR, 629, 1117
Luck JC, 674
Lüderitz B, 906
Luft UC, 339
Lurz FW, 1021 (BC)
Lyons J, 214
Lyons KP, 358, 367

M

Madsen EB, 1241
Maeda M, 1027 (BC)
Maffucci R, 585 (BC)
Magro SA, 674
Mancini GBJ, 809 (L)
Mandel WJ, 201, 209, 418, 431, 997
Mandell AJ, 612, 1297
Mann DE, 674
Manourvier J, 187 (L)
Manyari DE, 385 (BC)
Marchlinski FE, 1125
Marks DS, 934
Marney S, 585 (BC)
Martin JL, 269
Martin-Júdez V, 1039 (BC)
Martin WH III, 75
Maskin CS, 896
Mason DT, 394 (BC), 777 (BC)
Mason JR, 481
Matsuda Y, 332
Matsuzaki M, 332
Mattleman S, 986
Mazzucco A, 1049 (BC)

McAllister HA, 803 (BC)
McAnulty JH, 1142
McCullen A, 418
McGovern B, 571, 1071
McKirmen MD, 486
McManus BM, 183 (BC), 1285 (BC), 1286, (BC)
Meccariello P, 61

Mehta AV, 444
Mehta J, 286, 859
Mehta P, 286
Meier B, 578 (BC), 619
Meister SG, 1270 (BC)
Meltzer RS, 102
Mendizabal R, 394 (BC)
Mercier C, 45
Michelassi C, 465
Michelson EL, 53
Miller D, 20
Mills M, 851
Mills NL, 838
Mindich B, 86, 1146
Mintz GS, 745, 759, 986, 1187, 1278 (BC)
Miura DS, 638
Miura T, 332
Moleur P, 888
Moller JH, 1293 (BC)
Montag J, 174 (BC)
Monteiro AAC, 809 (L)
Montoyo J, 912
Moody M, 298
Moore WS, 980
Morad F, 875
Morales MA, 465
Moreau D, 1132
Morelock S, 1300
Moreno M, 1035 (BC)
Morganroth J, 718, 986, 989
Moritani K, 332
Morris AL, 400 (L)
Morrison DL, 591 (BC)
Moscarelli E, 465
Moser M, 616
Most AS, 169 (BC)
Motro M, 796 (BC)
Mucatel M, 1300
Mukharji J, 28
Murakita K, 1037 (BC)
Murao S, 1280 (BC)
Murphy DA, 830
Murthy V, 929
Muus CJ, 1285 (BC)
Myerburg RJ, 665

N

Nagao M, 25
Naik D, 596 (BC)
Naito M, 53
Nakagawa K, 919
Nakamura K, 497
Nakamura T, 959
Nanda NC, 278, 580 (BC)
Narahara KA, 261
Narai S, 497
Nathan AW, 1, 222
Nau GJ, 656
Nelson AD, 1014
Nelson GIC, 1202
Nestico PF, 989, 1278
Neufeld HN, 102, 796 (BC)
Neumann K, 940
Nicholson M, 1177
Nico P, 28, 1276 (BC)
Nieminen MS, 241
Ninomiya K, 623
Nishida S, 25
Nishimoto T, 1027 (BC)
Nishizawa S, 623

Nitsch J, 906
Nouri S, 1252

O

Oakley D, 596 (BC)
Oates JA, 492, 585 (BC)
Ochs HR, 170 (BC)
O'Connell JB, 127
Ogata H, 113
Ogawa H, 332
Ohmori H, 181 (BC)
Ohzeki M, 181 (BC)
Okada RD, 475
Oliver J, 1029 (BC)
Olson HG, 358
Omote S, 25
O'Neill H, 394 (BC)
O'Neill W, 153
Opie LH, 1132
O'Rourke RA, 298, 1221
Oudhof JH, 248
Ozaki M, 332

P

Palac RT, 481
Palatini P, 608 (L)
Palombo C, 465
Panidis IP, 718, 745, 759, 986,
1187, 1278 (BC)
Pantano JA, 608 (L)
Paraskos JA, 598 (BC)
Patterson E, 1117
Paulsen WJ, 813
Pennington DG, 1252
Penthaler P, 1044 (BC)
Pepine CJ, 237, 817, 820, 823,
841, 870
Peshock RM, 1276 (BC)
Peter T, 201, 209, 418, 431,
997
Petru MA, 1221
Pfaff M, 68
Picano E, 465
Pickoff AS, 444
Pietras R, 147
Pinamonti B, 172 (BC)
Pitchon R, 86, 1146
Piters KM, 358
Pitha JV, 801 (BC)
Pitt A, 1263
Pitt B, 81, 153, 629, 1117
Platia EV, 594 (BC)
Pocock WA, 378 (BC)
Podrid PJ, 882, 1098
Pohost GM, 304, 475
Pollock ML, 1229
Porter CJ, 411
Ports TA, 382 (BC), 1257 (BC)
Pratt CM, 674
Prida X, 820
Primm RK, 585 (BC)
Prineas RJ, 549
Prystowsky EN, 680
Przybyski J, 656
Puletti M, 399 (L)
Purves P, 385 (BC)
Puschendorf B, 609 (L)

Q

Quagliara D, 605 (BC)

R

Rabinovitch MA, 81
Racy A, 784 (BC)

Rahimtoola SH, 801 (BC)
Raible SJ, 532
Raizner AE, 440, 669
Rajan S, 596 (BC)
Ramanathan KB, 778 (BC)
Ramsdale DR, 811
Raper AJ, 813
Reddy PS, 97
Reduto LA, 826
Reed D, 186 (L)
Rees JR, 787 (BC)
Reid CL, 801 (BC)
Reis RL, 394 (BC), 777 (BC)
Reitz B, 90
Ren J-F, 1187
Rengo F, 61
Riemenschneider TA, 394 (BC),
1014, 1235
Rios B, 1290 (BC)
Rippe JM, 598 (BC), 1259
(BC)
Riss E, 174 (BC)
Rius J, 912
Rizzon P, 605 (BC)
Roberts AJ, 817, 841, 870
Robertson RM, 492
Robinson JA, 127
Rochette L, 1132
Rod JL, 1229
Roden D, 1058
Roden DM, 585 (BC)
Rodgers DM, 1270 (BC)
Roewer N, 179 (BC)
Roguin N, 174 (BC)
Rolland P-H, 45
Romano M, 61
Romson JL, 629
Roos NP, 400 (L)
Rosen KM, 425
Rosen P, 1221
Rosenbaum MB, 648, 656
Rosettani E, 925
Rosner B, 119
Ross AM, 851
Ross J, 745, 759, 986, 1187, 1278
(BC)
Ross L Jr, 400 (L)
Rossall RE, 505
Rossi PN, 1035 (BC)
Rotmensch HH, 399 (L)
Roubin GS, 1177
Rovai D, 465
Roy D, 556
Rubenow D, 90
Rubin SA, 997
Rude RE, 28
Ruskin JN, 571, 1071

S

Sacks B, 790 (BC)
Sahn DJ, 122, 319, 966, 1006
Saito H, 1037 (BC)
Sakamoto T, 1280 (BC)
Sakurai J, 1037 (BC)
Salcedo EE, 584 (BC)
Salerni R, 950
Samtoy L, 449
Sandor T, 13
Sandouk A, 792 (BC)
Sanford CF, 28
Santinelli V, 610 (L), 808 (L)
Sarkis EH, 187 (L)
Sarwar M, 1229
Sasaki S, 181 (BC), 1027 (BC)
Satomi G, 497
Savage R, 449
Savajiyani RD, 794 (BC)
Sawin HS, 53
Schatzkin A, 1300

Scheinman MM, 875
Schiller NB, 375 (BC), 1021
(BC), 1257 (BC)
Schmidt DH, 1229
Schoen FJ, 598 (BC)
Schoenfeld MH, 1071
Schork A, 81
Schuster AH, 580 (BC)
Schütz E, 1103
Schwartz A, 789 (BC)
Schwartz H, 589 (BC)
Schwartz JB, 440, 669
Schwartz KM, 237
Sclarovsky S, 611 (L)
Seckinger DL, 394 (BC)
Segal BL, 711, 759
Seiderer M, 906
Seipel L, 229
Sennett SM, 1229
Shabetai R, 1297
Shah A, 589 (BC)
Shah PM, 526, 1275 (BC)
Shanes JG, 798 (BC)
Shanks RG, 1065
Shapiro W, 875
Shaver JA, 950
Shea MJ, 629
Sheikhzadeh A, 396 (BC)
Shell WE, 367
Shem-Tov AA, 102
Shen E, 875
Shen WF, 1177
Shenassa M, 929
Shettigar UR, 959
Shimizu G, 1027 (BC)
Shiotani K, 1037 (BC)
Shulman RS, 388 (BC)
Siddoway L, 1058
Silke B, 1202
Silva JA, 809 (L)
Silver J, 665
Simpson JW, 1290 (BC)
Singh BN, 189
Singh S, 1270 (BC)
Singham KT, 1275 (BC)
Siskind SJ, 896
Sivakoff M, 1252
Sivaram CA, 505
Slavich G, 172 (BC)
Slutsky RA, 733
Smalling RW, 826
Smith D, 153
Smith N, 765
Smitherman TC, 261
Soifer J, 718
Somberg JC, 638
Sorensen SG, 1221
Souverijn JHM, 248
Spark RF, 119
Sperelakis N, 347
Speri G, 608 (L)
Spodick DH, 399 (L), 809 (L)
Spurrell RAJ, 1, 222
Starling MR, 298
Stavenow L, 1099
Stein J, 1091
Steinfeld M, 97
Steriotis J, 1023 (BC)
Sterling RP, 826
Sterzler SH, 856
St. Louis P, 1259 (BC)
Stobbe D, 394
Stolar I, 784 (BC)
Stone W, 1058
Storey GCA, 787 (BC)
Strasberg B, 425, 611 (L)
Strunk BL, 375 (BC)
Subramanian R, 127
Sujov P, 174 (BC)
Sullivan M, 486
Sung RJ, 875

Sussex BA, 505
Suwa M, 181 (BC), 1027 (BC)
Swan HJC, 68
Swirny S, 425
Szkopiec RL, 794 (BC)
Szlachcic J, 20

T

Tacker WA Jr, 945
Takahashi T, 1280 (BC)
Takao A, 497
Takenaka K, 1280 (BC)
Takeuchi A, 181 (BC), 1027 (BC)
Takeuchi S, 181 (BC)
Takizawa A, 25
Talano JV, 135
Tamari I, 607 (L)
Tambussi A, 648
Tambussi AM, 656
Tamer DF, 444
Tan A, 1034 (BC)
Tarbiat S, 396 (BC)
Taylor AT, 698
Taylor JO, 119
Taylor MM, 1229
Taylor SH, 1202
Tei C, 526, 1275 (BC)
Theis JH, 777 (BC)
Théroux P, 20
Thiene G, 1049 (BC)
Thompson K, 1058
Thrall JH, 81
Thurer RL, 790 (BC)
Timmis GC, 176 (BC)
Toma Y, 332
Tommaso CL, 135
Touboul P, 888
Treves S, 726
Troop P, 358
Tsai CC, 798 (BC)
Turley K, 1257 (BC)

U

Ugarte M, 1039 (BC)
Umit A, 1271 (BC)
Untereker WJ, 269
Uretsky BF, 97
Urthaler F, 902

V

Vaisman U, 929
Valdes-Cruz LM, 122, 319, 966, 1006
Valente M, 1049 (BC)
Valle V, 912
van der Laarse A, 39, 248
Vandersalm T, 1259 (BC)
VanEvery S, 1153
Van Hare GF, 1235
van Hulstijn H, 39
Van R, 68
Vazquez A, 394 (BC)
Venkatesh N, 189, 623
Verel D, 596 (BC)
Vered Z, 102, 796 (BC)
Victor M, 986
Vidt DG, 980
Vigorito C, 61
Vijayaraghavan G, 1275 (BC)
Virmani R, 803 (BC)
Virupannavar S, 481
Visco J, 1153
Visser CA, 102
Vitarelli A, 388 (BC)
Vogel R, 153
Vogel RA, 81
Vorhees WD III, 945

W

Wagner JM, 698
Walker C, 1202
Walker WE, 826
Wallsh E, 856
Wang T, 1058
Wartak J, 402
Wasserman AG, 851
Waters DD, 20
Waxman HL, 1125
Weiland AP, 826
Weinstein GS, 856
Weintraub RM, 790 (BC)
Weintraub WS, 707
Weiss D, 209
Weiss Z, 1042 (BC)
Wellens HJJ, 556, 685, 1053, 1183
Wemeau JL, 187 (L)
West BJ, 1297
White F, 449
White FC, 458
White R, 1103

X

Xiang HZ, 68

Y

Yamada T, 809 (L)
Yamanoto S, 181 (BC)
Yano J, 623
Yasue H, 25
Yasukouchi T, 919
Yeh HL, 229
Yepsen SC, 674
Yiannikas J, 584 (BC)
Yih-Iou J, 519
Yoshino F, 332
Y-Rit J, 623

Z

Zack P, 1271 (BC)
Zaher CA, 431
Zarra A, 61
Zeltzer M, 174 (BC)
Zielonka J, 882
Zieske HA, 404
Zimmerman JM, 1117
Zipes DP, 680

Subject index*

A

Abdominal computerized tomography, abnormal, with amiodarone therapy and clinical significance (Shenasa et al.), 929
Accelerated junctional rhythms during oral verapamil therapy (Schwartz et al.), 440
Accessory pathway(s), retrograde, unidirectional, antegrade conduction and AV node function in patients with (Henglein et al.), 411
with long conduction times, differentiation between atrial tachycardia and reciprocating atrioventricular tachycardia using an: Observations in patients with supraventricular tachycardia having a PR interval shorter than the RP interval (Brugada et al.), 556
Acetabutolol, atenolol, and d-propranolol, effects of on isolated working rat hearts subject to myocardial ischemia and reperfusion: role of beta-adrenoceptor antagonism in the prevention of reperfusion ventricular arrhythmias (Rochette et al.), 1132
Acetylcholine-calcium interactions in the canine atrium and sinus node (Loeb and deTarnowsky), 1161
Acetyl-strophanthidin, effects of on left ventricular function and ventricular arrhythmias (Podrid et al.), 882
Acute myocardial infarction, prevention of myocardial reinfarction and of sudden death in survivors of: role of prophylactic beta-adrenoceptor blockade (Singh and Venkatesh), 189

Acute myocardial infarction—*continued*
torsade de pointes complicating (Griffin and Most), 169
(Brief comm.)
Adenoma, pituitary, prolactin-secreting, orthostatic hypotension due to (Ducloux et al.), 187 (Letter)
Adenosine 3'-5'-cyclic phosphate (cyclic AMP) and phosphorylation in regulation of Ca^{2+} influx into myocardial cells and blockade by calcium antagonistic drugs (Sperelakis), 347
Adenylate cyclase-adrenergic receptor system, defect in during development of catecholamine-induced cardiomyopathy (Corder et al.), 537
Adjunctive operative coronary artery balloon-catheter dilatation: review of Lenox Hill experience (Wallsh et al.), 856
Adrenergic receptor-adenylate cyclase system, defect in during development of catecholamine-induced cardiomyopathy (Corder et al.), 537
Adult patients, noninvasive evaluation of severity of aortic stenosis in (Nakamura et al.), 959
Alcohol ingestion, variant angina induced by (Takizawa et al.), 25
Aldosterone levels, plasma renin substrate, and renin activity in a sample of oral contraceptive users from a community survey (Goldhaber et al.), 119
Alpha-hydroxybutyrate dehydrogenase levels, serum, assessment of myocardial damage in patients with acute myocardial infarction by serial measurement of (van der Laarse et al.), 248
Alternans, electrical, nonlinear dynamics, and pericardial tamponade (Goldberger et al.), 1297
mechanical, Doppler echocardiographic features of (Schuster and Nanda), 580 (Brief comm.)

*January, pp. 1-200; February, pp. 201-410; March, pp. 411-618; April, pp. 619-874; May, Part 1, pp. 875-1052; May, Part 2, pp. 1053-1102; June, pp. 1103-1336.

American Indians, urban, cardiovascular risk factors among: blood pressure, serum lipids, smoking, diabetes, health knowledge, and behavior (Gillum, Gillum, and Smith), 765

Amiodarone and thyroid function (Puletti et al.), 399 (Letter)
Reply (Rotmensch, Belhassen, and Ferguson), 399

efficacy of during long-term treatment of malignant ventricular arrhythmias in patients with chronic chagasic myocarditis (Chiarello et al.), 656

of potentially dangerous ventricular arrhythmias in patients with chronic stable ischemic heart disease (Kaski et al.), 648

-induced ventricular tachyarrhythmias (Santinelli, Chiariello, and Condorelli), 610 (Letter)
Reply (Sclarovsky et al.), 611

intravenous, effects of in patients with inducible repetitive ventricular responses and ventricular tachycardia (Hariman et al.), 1109

electrophysiologic effects and mechanisms of termination of supraventricular tachycardia by (Gomes et al.), 214

one year follow-up of empiric therapy with: prognosis after sudden cardiac death without associated myocardial infarction (Peter et al.), 209

:prolonged elimination following cessation of chronic therapy (Wilkinson et al.), 787 (Brief comm.)

replacement of by sotalol for repetitive ventricular premature beats (Burkhardt, White, and Hoffmann), 167 (Brief comm.)

therapy and clinical significance, abnormal abdominal computerized tomography with (Shenasa et al.), 929

Amplitude changes, R wave, exercise-induced, in coronary patients and normal subjects, influence of heart rate on (de Caprio et al.), 61

responses, R wave, to rapid atrial pacing: a marker for myocardial ischemia (David et al.), 53

Anastomosis, artery, coronary-to-bronchial, and multiple pulmonary cysts with angina pectoris (Saito et al.), 1037 (Brief comm.)

Aneurysm, aortic, dissecting, rupture of into the right atrium: clinical and echocardiographic recognition (Nicod et al.), 1276 (Brief comm.)

dissection, aortic, ascending, unusual echocardiographic image of (Steriotis, Athanasopoulos, and Aravanis), 1023 (Brief comm.)

unruptured sinus of Valsalva, echocardiographic diagnosis of (Lewis and Agathangelou), 1025 (Brief comm.)

Angina pectoris and acute myocardial infarction, fibrinopeptide A and beta thromboglobulin in patients with (van Hulsteijn et al.), 39

coronary flow limitation precedes: sequential changes in regional coronary flow during pacing-induced angina pectoris (Wilson et al.), 269

-to-bronchial artery anastomosis and multiple pulmonary cysts with (Saito et al.), 1037 (Brief comm.)

exertional, chronic stable, long-term study of high-dose diltiazem in (Hossack et al.), 1215

numerical approach to classification of (Wartak, Fenna, and Callaghan), 402

pacing-induced, sequential changes in regional coronary flow during: coronary flow limitation precedes angina (Wilson et al.), 269

spontaneous versus: thromboxane release in coronary artery disease (Mehta et al.), 286

Prinzmetal's, transient changes in left ventricular mechanics during attacks of: an M-mode echocardiographic study (Distante et al.), 465

unstable, alterations in left ventricular function during therapy of: relationship to clinical outcome (Narahara et al.), 261

variability of results of repeat treadmill exercise testing in patients with (Starling et al.), 298

variant, ergonovine-induced episodes of, ventricular arrhythmias during (Szalachic et al.), 20

induced by alcohol ingestion (Takizawa et al.), 25

Angiograms, cardiac, influence of bias on the subjective interpretation of (Diamond et al.), 68

Angiographic and clinical implications of anterolateral ST segment depression in acute inferior myocardial infarction (Roubin et al.), 1177

Angiographic—continued
assessment, sequential radionuclide, of left and right ventricular performance and quantitative thallium-201 scintigraphy following acute myocardial infarction (Hirsowitz et al.), 934

Angiography, coronary spasm provoked by (Dodek and Hooper), 781 (Brief comm.)

radionuclide, equilibrium, attenuation correction of for noninvasive quantitation of cardiac output and ventricular volumes (Petrus et al.), 1221

serum lipids as indicators of occult coronary artery disease assessed by (Ramsdale et al.), 811

Angioplasty, balloon, acute coronary occlusion during due to intracoronary thrombus and coronary spasm: a reversible complication (Ischinger, Zack, and Aker), 1271 (Brief comm.)

coronary, higher balloon dilatation pressure in (Meier et al.), 619

percutaneous transluminal, and coronary artery bypass surgery including surgery for failed angioplasty, comparison of (Jones, Murphy, and Craver), 830

in acute myocardial infarction (Pepine et al.), 820

significance of chest pain during (Aueron, Gruentzig, and Meier), 578 (Brief comm.)

: 6 years' experience (Gruentzig), 818

failed, comparison of coronary artery bypass surgery and percutaneous transluminal coronary angioplasty including surgery for (Jones, Murphy, and Craver), 830

Annular calcification, mitral: clinical, pathophysiology, and echocardiographic review (Nestico et al.), 989

Antegrade conduction and AV node function in patients with unidirectional retrograde accessory pathways (Henglein et al.), 411

Anterolateral ST segment depression in acute inferior myocardial infarction: angiographic and clinical implications (Roubin et al.), 1177

Antiarrhythmic agent, new, flecainide acetate, proarrhythmic effects of the (Nathan et al.), 222

propafenone, a new, electrophysiologic and hemodynamic effects of on the anesthetized, closed-chest dog: comparative study with lidocaine (Karagueuzian et al.), 418

drug(s), mechanisms and actions of: ventricular arrhythmias (Wellens, Brugada, and Farre), 1053

treatment, suppression of high-grade ventricular ectopic activity as by as marker for survival in patients with chronic coronary artery disease (Hoffmann et al.), 1103

properties, class III, intravenous sotalol, a beta-blocking drug with, clinical electrophysiology of (Touboul et al.), 888

-slowed ectopic rate, influence of on pacing termination of ventricular tachycardia (Keren, Miura, and Somberg), 638

Anticoagulants during pregnancy for mechanical prosthetic valves (Danel and Cooper), 607 (Letter)
Reply (Tamari), 607

Antidysrhythmic actions of meobentine sulfate (Zimmerman et al.), 1117

Antigenicity of lidocaine analogs, molecular basis for: tocainide and mexiletine (Duff, Roden, Marney, et al.), 585 (Brief comm.)

Anulus, tricuspid, calcification of diagnosed by two-dimensional echocardiography (Mattleman et al.), 986

Aorta, ascending, and main pulmonary artery of normal subjects by Doppler echocardiography, evaluation of blood flow velocity in the (Gardin et al.), 310

Aortic aneurysm, dissecting, rupture of into the right atrium: clinical and echocardiographic recognition (Nicod et al.), 1276 (Brief comm.)

dissection, ascending, unusual echocardiographic image of (Steriotis, Athanasopoulos, and Aravanis), 1023 (Brief comm.)

dissection, unusual echocardiographic findings in: diastolic prolapse of intimal flap into left ventricle (Come et al.), 790 (Brief comm.)

flow velocity in older subjects using continuous-wave Doppler echocardiography (Vijayaraghavan et al.), 1275 (Brief comm.)

Aortic—continued

- prosthesis, malfunctioning, early prosthetic mitral closure due to during intra-aortic balloon counterpulsation (Gheorghiade et al.), 388 (Brief comm.)
- porcine, with flail leaflets due to degeneration and calcification, echocardiography of (Bansal, Morrison, and Jacobson), 591 (Brief comm.)
- stenosis, in adult patients, noninvasive evaluation of severity of (Nakamura et al.), 959
- valve in congestive cardiomyopathy, echographic early systolic partial closure (notching) of the (Gardin, Tommaso, and Talaro), 135
- size, prosthetic, two-dimensional echocardiographic preoperative prediction of (Cohen et al.), 108
- vaporization, of transcatheter *in vivo*: effects of laser irradiation on cardiac valves (Lee et al.), 394 (Brief comm.)

Apnea, sleep, -hypersomnia syndrome: its recognition in clinical cardiology (Burack), 543

Appearance time, myocardial contrast, use of to measure coronary flow reserve: application of digital techniques to selective coronary arteriography (Vogel et al.), 153

Arrhythmias and QT interval in athletes (Palatini and Sperti), 608 (Letter)

- Reply (Pantano), 608

ventricular, and ischemia-induced conduction delay, relationship between in closed-chest animals within 24 hours of myocardial infarction (Fujimoto et al.), 201

and left ventricular function, effects of acetyl-strophanthidin on (Podrid et al.), 882

during ergonovine-induced episodes of variant angina (Szalachcic et al.), 20

long-term mexiletine for (Stein et al.), 1091

malignant, in patients with chronic chagasic myocarditis, efficacy of amiodarone during long-term treatment of (Chiale et al.), 656

- : mechanisms and actions of antiarrhythmic drugs (Wellens, Brugada, and Farre), 1053

potentially dangerous, efficacy of amiodarone during long-term treatment of in patients with chronic stable ischemic heart disease (Kaski et al.), 648

refractory, oral mexiletine in treatment of: role of electrophysiologic techniques (Schoenfeld et al.), 1071

reperfusion, role of beta-adrenoreceptor antagonism in the prevention of: effects of acebutolol, atenolol, and d-propranolol on isolated working rat hearts subject to myocardial ischemia and reperfusion (Rochette et al.), 1132

with mexiletine, practical considerations in treatment of (Akhtar), 1086

Arteriography, coronary, selective, application of digital techniques to: use of myocardial contrast appearance time to measure coronary flow reserve (Vogel et al.), 153

progression of coronary artery disease in patients with chest pain and normal or intraluminal disease on (Haft and Bachik), 35

Arteriosclerosis obliterans, thromboxane B₂, 6-keto-PGF_{1α}, PGE₂, PGF_{2α}, and PGA, plasma levels in: relationship to clinical manifestations, risk factors, and arterial pathoanatomy (Jouve et al.), 45

Arteriovenous fistulas, coronary, and Kawasaki's disease, evaluation in: systematic visualization of coronary arteries by two-dimensional echocardiography in children and infants (Satomi et al.), 497

Artery(ies) anastomosis, coronary-to-bronchial, and multiple pulmonary cysts with angina pectoris (Saito et al.), 1037 (Brief comm.)

- balloon-catheter dilatation, coronary, intraoperative (Fogarty and Kinney), 845
- branch stenosis, left pulmonary, peripheral, scimitar syndrome with (Platia and Brinker), 594 (Brief comm.)
- bypass surgery, coronary, role of after intracoronary streptokinase infusion for myocardial infarction (Walker et al.), 826
- coronary, experience with operative transluminal balloon-catheter dilatation of the (Mills and Doyle), 838
- normal, myocardial infarction with complicated by ventricular septal rupture (St. Louis et al.), 1259 (Brief comm.)

Artery(ies)—continued

- right and left, common origin of from the region of left sinus of Valsalva: association with unexpected intrauterine fetal death (Muus and McManus), 1285 (Brief comm.)
- systematic visualization of by two-dimensional echocardiography in children and infants: evaluation in Kawasaki's disease and coronary arteriovenous fistulas (Satomi et al.), 497
- disease, coronary, effect of prolonged intense endurance training on systolic time intervals in patients with (Martin et al.), 75
- endocardial activation in patients with: effects of regional contraction abnormalities (Wiener, Mindich, and Pitchon), 1146
- intraoperative balloon-catheter dilatation in treatment of (Jones and King), 836
- occult, serum lipids as indicators of assessed by angiography (Ramsdale et al.), 811
- progression of in patients with chest pain and normal or intraluminal disease on arteriography (Haft and Bachik), 35
- right ventricular function in as assessed by two-dimensional echocardiography (Panidis et al.), 1187
- great, transposition of the, transumbilical balloon atrial septostomy for in infants under the age of 60 hours (Roguin et al.), 174 (Brief comm.)
- occlusion, coronary, brief, decreased systolic wall thickening in myocardium adjacent to ischemic zones in conscious swine during (Guth et al.), 458
- pulmonary, main, and ascending aorta of normal subjects by Doppler echocardiography, evaluation of blood flow velocity in the (Gardin et al.), 310
- right pulmonary, to left atrial communication: recognition and surgical correction (Sheikhzadeh et al.), 396 (Brief comm.)
- septal coronary, systolic compression of with septal ischemia by thallium-201 scintigraphy (Ugarte et al.), 1039 (Brief comm.)
- Ascending aorta and main pulmonary artery of normal subjects by Doppler echocardiography, evaluation of blood flow velocity in the (Gardin et al.), 310
- aortic aneurysm dissection, unusual echocardiographic image of (Steriotis, Athanasopoulos, and Aravanis), 1023 (Brief comm.)
- Atenolol, acebutolol, and d-propranolol, effects of on isolated working rat hearts subject to myocardial ischemia and reperfusion: role of beta-adrenoreceptor antagonism in the prevention of reperfusion ventricular arrhythmias (Rochette et al.), 1132
- Atherosclerotic disease, human, dissolution of by fiberoptic laser-heated metal cautery cap (Lee et al.), 777 (Brief comm.)
- Athletes, arrhythmias and QT interval in (Palatini and Sperti), 608 (Letter)**

 - Reply (Pantano), 608

- Atrial bigeminy, concealed: Mechanisms of disappearance and reappearance of manifest extrasystoles (Kinoshita et al.), 919**

 - fibrillation in pericardial disease (Spodick), 809 (Letter)
 - Reply (Goldberger and John Mancini), 810
 - flutter, nonsustained, induction of by programmed atrial stimulation in children: incidence, mechanisms, and clinical implications (Casta et al.), 444
 - with 1-1 atrioventricular conduction: electrophysiologic and histologic correlations (Blanc et al.), 1044 (Brief comm.)
 - left, to right pulmonary artery communication: recognition and surgical correction (Sheikhzadeh et al.), 396 (Brief comm.)
 - masses, right, clinical and echocardiographic features of (Panidis et al.), 745
 - pacemakers, implanted, stability of AV conduction in sick sinus node syndrome patients with (Hayes and Furman), 644
 - pacing catheter, new temporary, clinical evaluation of a: results in 100 patients (Littleford et al.), 237
 - rapid, correlation between changes in R wave amplitude and left ventricular volume induced by (Daniels et al.), 711

Atrial pacing, rapid—*continued*

R wave amplitude responses to: a marker for myocardial ischemia (David et al.), 53
septostomy, balloon, transumbilical, for transposition of the great arteries in infants under the age of 60 hours (Roguin et al.), 174 (Brief comm.)
stimulation, programmed, in children, induction of nonsustained atrial flutter by: incidence, mechanisms, and clinical implications (Casta et al.), 444
tachycardia and reciprocating atrioventricular tachycardia, differentiation between using an accessory pathway with long conduction times: observations in patients with supraventricular tachycardia having a PR interval shorter than the RP interval (Brugada et al.), 556
volume change, left, relationship of the interatrial septal echocardiogram to in the normal and diseased heart (Chung-Sheng, Hon-Yuan, and Yih), 519
wall, right, subcostal M-mode echocardiography of for differentiation of supraventricular tachyarrhythmias with aberration from ventricular tachycardia (Drinković), 326
Atrioventricular block, supra-Hisian, intermittent, verapamil effects in AV node reentry tachycardia with (Hamer et al.), 431
conduction in sick sinus node syndrome patients with implanted atrial pacemakers, stability of (Hayes and Furman), 644
1-1, atrial flutter with: electrophysiologic and histologic correlations (Blanc et al.), 1044 (Brief comm.)
nodal conduction disturbances, right ventricular involvement with acute inferior wall myocardial infarction identifies high risk of developing (Braat et al.), 1183
reentrant tachycardia, initiation of in patients with discontinuous anterograde atrioventricular nodal conduction curves with and without documented supraventricular tachycardia: observations on role of a discontinuous retrograde conduction curve (Brugada et al.), 685
node function and antegrade conduction in patients with unidirectional retrograde accessory pathways (Henglein et al.), 411
or sinus node of dogs, no electrical instability after intracoronary streptokinase administered into (Epstein, Uthaler, and James), 902
reentry tachycardia, verapamil effects in with intermittent supra-Hisian AV block (Hamer et al.), 431
tachycardia, reciprocating, and atrial tachycardia, differentiation between using an accessory pathway with long conduction times: observations in patients with supraventricular tachycardia having a PR interval shorter than the RP interval (Brugada et al.), 556
valves, overriding and straddling, associated with complex congenital heart disease, two-dimensional echocardiographic evaluation of (Barron et al.), 1006
versus ventricular demand pacemakers, evaluation of left ventricular performance by radionuclide ventriculography in patients with (Nitsch et al.), 906
Atrium and sinus node, canine, acetylcholine-calcium interactions in (Loeb and deTarnowsky), 1161
right, rupture of dissecting aortic aneurysm into the: clinical and echocardiographic recognition (Nicod et al.), 1276 (Brief comm.)
Attenuation correction of equilibrium radionuclide angiography for noninvasive quantitation of cardiac output and ventricular volumes (Petro et al.), 1221
Avalanche radiation probe, regional myocardial perfusion measured by during cardiopulmonary bypass: pharmacologic and physiologic alterations (Karlsberg et al.), 367

B

Balloon angioplasty, acute coronary occlusion during due to intracoronary thrombus and coronary spasms: a reversible complication (Ischinger, Zack, and Aker), 1271 (Brief comm.)
atrial septostomy, transumbilical, for transposition of the great arteries in infants under the age of 60 hours (Roguin et al.), 174 (Brief comm.)

Balloon—*continued*

catheter dilatation and coronary artery bypass surgery, implications in: role of platelet antagonists in coronary artery disease (Mehta), 859
coronary artery, adjunctive operative: review of Lenox Hill experience (Wallah et al.), 856
intraoperative (Fogarty and Kinney), 845
intraoperative (Jones and King), 836
University of Florida experience (Faro et al.), 841
retrograde, intraoperative, to augment myocardial revascularization (Ross et al.), 851
transluminal, operative, of the coronary arteries, experience with (Mills and Doyle), 838
catheterization, transseptal, of the left ventricle in adult valvular heart disease (Lam, Juska, and Pistras), 147
counterpulsation, intra-aortic, early prosthetic mitral closure due to malfunctioning aortic prosthesis during (Gheorghiade et al.), 388 (Brief comm.)
dilatation pressure in coronary angioplasty, higher (Meier et al.), 619
BAYg6575 (Nafazatrom), beneficial effects of on experimental coronary thrombosis (Shea et al.), 629
Beta-adrenoceptor blockade, role of prophylactic: prevention of myocardial reinfarction and of sudden death in survivors of acute myocardial infarction (Singh and Venkatesh), 189
-adrenoreceptor antagonism, role of in the prevention of reperfusion ventricular arrhythmias: effects of acebutolol, atenolol, and d-propranolol on isolated working rat hearts subject to myocardial ischemia and reperfusion (Rochette et al.), 1132
-blocking drug with class III antiarrhythmic properties, intravenous sotalol, clinical electrophysiology of (Touboul et al.), 888
thromboglobulin and fibrinopeptide A in patients with angina pectoris and acute myocardial infarction (van Hulsteijn et al.), 39
Bias, influence of on the subjective interpretation of cardiac angiograms (Diamond et al.), 68
Bigeminy, atrial, concealed: mechanisms of disappearance and reappearance of manifest extrasystoles (Kinoshita et al.), 919
Biopsy, endomyocardial, in Henoch-Schönlein purpura (Kerckaeke, Ports, and Finkbeiner), 382 (Brief comm.)
Biventricular dissociation, local right ventricular electrogram for ECG-gated cardioscintigraphy to assess right ventricular function during (Manyari et al.), 385 (Brief comm.)
Block, AV, supra-Hisian, intermittent, verapamil effects in AV node reentry tachycardia with (Hamer et al.), 431
heart, congenital complete, in identical twins, endocardial fibroelastosis with (Rios, Duff, and Simpson), 1290 (Brief comm.)
Blockade, beta-adrenoceptor, role of prophylactic: prevention of myocardial reinfarction and of sudden death in survivors of acute myocardial infarction (Singh and Venkatesh), 189
cholinergic, in humans, pressor and depressor responses after (Goldstein and Keiser), 974
Blood flow, myocardial, and infarction salvage during coronary artery occlusion in dogs, effect of whole-body hypothermia on (Voorhees, Abendschein, and Tacker), 945
and segmental shortening, variable effects of intracoronary nitroglycerin on according to dose and degree of coronary occlusion (Weintraub et al.), 707
velocity, evaluation of in the ascending aorta and main pulmonary artery of normal subjects by Doppler echocardiography (Gardin et al.), 310
pressure, serum lipids, smoking, diabetes, health knowledge, and behavior: cardiovascular risk factors among urban American Indians (Gillum, Gillum, and Smith), 765
Bookshelf, 816, 1052
Branch stenosis, peripheral left pulmonary artery, scimitar syndrome with (Platia and Brinker), 594 (Brief comm.)
Bronchial-to-coronary artery anastomosis and multiple pulmonary cysts with angina pectoris (Saito et al.), 1037 (Brief comm.)

Bruce protocol, modified, errors in predicting functional capacity for postmyocardial infarction patients using a (Sullivan and McKirnan), 486

Bypass, cardiopulmonary, preservation of interventricular septal function in patients having coronary artery bypass grafts without (Akins, Boucher, and Pohost), 304

regional myocardial perfusion measured by the avalanche radiation probe during: pharmacologic and physiologic alterations (Karlsberg et al.), 367

grafts, coronary artery, without cardiopulmonary bypass, preservation of interventricular septal function in patients having (Akins, Boucher, and Pohost), 304

surgery, coronary artery, and balloon-catheter dilatation, implications in: role of platelet antagonists in coronary artery disease (Mehta), 859

and percutaneous transluminal coronary angioplasty including surgery for failed angioplasty, comparison of (Jones, Murphy, and Craver), 830

role of after intracoronary streptokinase infusion for myocardial infarction (Walker et al.), 826

C

Ca^{++} influx into myocardial cells and blockade by calcium antagonistic drugs, cyclic AMP and phosphorylation in regulation of (Sperelakis), 347

Calcification, mitral annular: clinical, pathophysiology, and echocardiographic review (Nestico et al.), 989

of tricuspid anulus diagnosed by two-dimensional echocardiography (Mattleman et al.), 986

Calcium-acetylcholine interactions in the canine atrium and sinus node (Loeb and deTarnowsky), 1161

antagonistic drugs, cyclic AMP and phosphorylation in regulation of Ca^{++} influx into myocardial cells and blockade by (Sperelakis), 347

involvement of in coronary vasoconstriction due to prolonged hypoxia (Karmazyn, Beamish, and Dhalla), 293

Capillary wedge pressure, pulmonary, in mitral regurgitation, noninvasive assessment of (Gamble, Salerni, and Shaver), 950

Carcinoid heart disease, echocardiographic features of (Reid et al.), 801 (Brief comm.)

two-dimensional echocardiography in the diagnosis of (Forman et al.), 492

Cardiac angiograms, influence of bias on the subjective interpretation of (Diamond et al.), 68

arrest, prehospital, abnormal quinidine binding in survivors of (Kessler et al.), 665

death, sudden, without associated myocardial infarction, prognosis after: One year follow-up of empiric therapy with amiodarone (Peter et al.), 209

involvement, nonfusive, two-dimensional echocardiography in the detection of by intrathoracic neoplasms (Cohen, Raible, and Ansinelli), 532

output and ventricular volumes, attenuation correction of equilibrium radionuclide angiography for noninvasive quantitation of (Petru et al.), 1221

patients, stroke volume in, comparison of noninvasive pulsed Doppler and Fick measurements of (Loeppky et al.), 339

strangulation, fatal, by congenital partial pericardial defect (Jones and McManus), 183 (Brief comm.)

tamponade, acute right ventricular dilation and echocardiographic volume overload following pericardiotomy for relief of (Armstrong, Feigenbaum, and Dillon), 1266 (Brief comm.)

transplant recipients, comparison of patients with ischemic, myopathic, and rheumatic heart diseases as (Lanza et al.), 8

tumors, metastatic, in pediatric patients, two-dimensional echocardiography for evaluation of (Grenadier et al.), 122

valves, effects of laser irradiation on: transcatheter in vivo vaporization of aortic valve (Lee et al.), 394 (Brief comm.)

Cardiogenic shock following acute myocardial infarction, prenatertol in (Coma-Canella, Lopez-Sendon, and Jadraque), 1195

Cardiokymography exercise test compared to the thallium-201 perfusion exercise test in the diagnosis of coronary artery disease (Burke et al.), 718

Cardiology, clinical, recognition of the hypersomnia-sleep apnea syndrome in (Burack), 543

Cardiomyopathy, catecholamine-induced, defect in the adrenergic receptor-adenylate cyclase system during development of (Corder et al.), 537

congestive, echographic early systolic partial closure (notching) of the aortic valve in (Gardin, Tommaso, and Talano), 135

responsive to immunosuppression, mild myocardial inflammation presenting as (Shanes et al.), 798 (Brief comm.)

dilated, clinical and pathologic findings of myocarditis in two families with (O'Connell et al.), 127

hypertrophic, familial, and preexcitation (Hauser, Gordon, and Timmis), 176 (Brief comm.)

Cardiopulmonary bypass, preservation of interventricular septal function in patients having coronary artery bypass grafts without (Akins, Boucher, and Pohost), 304

regional myocardial perfusion measured by the avalanche radiation probe during: pharmacologic and physiologic alterations (Karlsberg et al.), 367

oscillations, long-wavelength, implications of: nonlinear dynamics in heart failure (Goldberger et al.), 612

Cardioscintigraphy, ECG-gated, to assess right ventricular function during biventricular dissociation, local right ventricular electrogram for (Manyari et al.), 385 (Brief comm.)

Cardiovascular drugs, other, interaction of mexiletine with (Bigner), 1079

risk factors among urban American Indians: blood pressure, serum lipids, smoking, diabetes, health knowledge, and behavior (Gillum, Gillum, and Smith), 765

Care unit, coronary, effectiveness (Spodick), 399 (Letter)

Reply (Morris, Roos, and Ross), 400

Catecholamine-induced cardiomyopathy, defect in the adrenergic receptor-adenylate cyclase system during development of (Corder et al.), 537

Catheter, pacing, new temporary atrial, clinical evaluation of: results in 100 patients (Littleford et al.), 237

Catheterization, transseptal balloon, of the left ventricle in adult valvular heart disease (Lam, Juska, and Pietras), 147

Cautery cap, metal, laser-heated, fiberoptic, dissolution of human atherosclerotic disease by (Lee et al.), 777 (Brief comm.)

Chagas' myocarditis, chronic, efficacy of amiodarone during long-term treatment of malignant ventricular arrhythmias in patients with (Chiare et al.), 656

Chemotherapy, visualization of pericardial thymoma and evaluation of by two-dimensional echocardiography (Leceto et al.), 605 (Brief comm.)

Chest pain and normal or intraluminal disease on arteriography, progression of coronary artery disease in patients with (Haft and Bachik), 35

during percutaneous transluminal coronary angioplasty, significance of (Aueron, Gruentzig, and Meier), 578 (Brief comm.)

Cholinergic blockade in humans, pressor and depressor responses after (Goldstein and Keiser), 974

Cimetidine, effect of on digoxin kinetics and creatinine clearance (Ochs et al.), 170 (Brief comm.)

Cineangiography in infants with congenital heart disease, accurate internal correction for magnification of (Baylen et al.), 113

Classification of angina, numerical approach to (Wartak, Fenna, and Callaghan), 402

Clearance, myocardial, quantitative analysis of serial thallium-201 imaging after dipyridamole for coronary disease detection using (Okada et al.), 475

Clinical and pathologic findings of myocarditis in two families with dilated cardiomyopathy (O'Connell et al.), 127

experience with mexiletine, long-term (Johansson, Stavenow, and Hansson), 1099

trials and their effect on medical therapy: The Multiple Risk Factor Intervention Trial (Moser), 616

Closure, echographic early systolic partial (notching), of the aortic valve in congestive cardiomyopathy (Gardin, Tommaso, and Talano), 135

Cold pressor test during two-dimensional echocardiography: usefulness in detection of patients with coronary disease (Gondi and Nanda), 278

Computerized tomography, abdominal, abnormal, with amiodarone therapy and clinical significance (Shenasa et al.), 929

Concealed atrial bigeminy: mechanisms of disappearance and reappearance of manifest extrasystoles (Kinoshita et al.), 919

Conduction, antegrade, and AV node function in patients with unidirectional retrograde accessory pathways (Henglein et al.), 411

AV, in sick sinus node syndrome patients with implanted atrial pacemakers, stability of (Hayes and Furman), 644

1-1, atrial flutter with: electrophysiologic and histologic correlations (Blanc et al.), 1044 (Brief comm.)

curves, discontinuous anterograde atrioventricular nodal, with and without documented supraventricular tachycardia, initiation of atrioventricular nodal reentrant tachycardia in patients with: observations on role of a discontinuous retrograde conduction curve (Brugada et al.), 685

delay, ischemia-induced, and ventricular arrhythmias, relationship between in closed-chest animals within 24 hours of myocardial infarction (Fujimoto et al.), 201

disturbances, nodal, atrioventricular, right ventricular involvement with acute inferior wall myocardial infarction identifies high risk of developing (Braat et al.), 1183

times, long, accessory pathway with, differentiation between atrial tachycardia and reciprocating atrioventricular tachycardia using an: observations in patients with supraventricular tachycardia having a PR interval shorter than the RP interval (Brugada et al.), 556

ventriculoatrial, shortening of in patients with left-sided Kent bundles (Cinca et al.), 912

Congenital disorders of the mitral valve, two-dimensional echo Doppler study of (Grenadier et al.), 319

heart disease, complex, two-dimensional echocardiographic evaluation of overriding and straddling atrioventricular valves associated with (Barron et al.), 1006

infants with, accurate internal correction for the magnification of cineangiography in (Buylen et al.), 113

partial pericardial defect, fatal cardiac strangulation by (Jones and McManus), 183 (Brief comm.)

Congenitally malformed heart, appearance of the with ECG-gated nuclear magnetic resonance imaging (Jacobstein et al.), 1014

Congestive cardiomyopathy, echographic early systolic partial closure (notching) of the aortic valve in (Gardin, Tommaso, and Talano), 135

responsive to immunosuppression, mild myocardial inflammation presenting as (Shanes et al.), 798 (Brief comm.)

heart failure, severe, high prevalence of nonsustained ventricular tachycardia in (Maskin, Siskind, and Lejemtel), 896

Constrictive pericarditis associated with sarcoidosis (Garrett, O'Neill, and Blake), 394 (Brief comm.)

eosinophilic (Virmani et al.), 803 (Brief comm.)

Contraceptive users, oral, from a community survey, plasma renin substrate, renin activity, and aldosterone levels in a sample of (Goldhaber et al.), 119

Contraction abnormalities, regional, effects of: endocardial activation in patients with coronary artery disease (Wiener, Mindich, and Pitchon), 1146

Contrast appearance time, myocardial, use of to measure coronary flow reserve: application of digital techniques to selective coronary arteriography (Vogel et al.), 153

echocardiographic documentation of paradoxical embolism (Rodgers, Singh, and Meister), 1270 (Brief comm.)

echocardiography, diagnosis of paradoxical embolism with (Higgins, Strunk, and Schiller), 375 (Brief comm.)

of pulmonic regurgitation by (Meltzer et al.), 102

Coronary angioplasty, higher balloon dilatation pressure in (Meier et al.), 619

transluminal, percutaneous, and coronary artery bypass surgery including surgery for failed angioplasty, comparison of (Jones, Murphy, and Craver), 830

in acute myocardial infarction (Pepine et al.), 820

Coronary angioplasty, transluminal, percutaneous—continued

significance of chest pain during (Aueron, Gruentzig, and Meier), 578 (Brief comm.)

: 6 years' experience (Gruentzig), 818

arteriography, selective application of digital techniques to: use of myocardial contrast appearance time to measure coronary flow reserve (Vogel et al.), 153

arteriovenous fistulas and Kawasaki's disease, evaluation in: systematic visualization of coronary arteries by two-dimensional echocardiography in children and infants (Satomi et al.), 497

artery(ies) balloon-catheter dilatation, adjunctive operative: review of Lenox Hill experience (Wallash et al.), 856

intraoperative (Fogarty and Kinney), 845

bypass grafts without cardiopulmonary bypass, preservation of interventricular septal function in patients having (Akins, Boucher, and Pohost), 304

surgery and balloon-catheter dilatation, implications in: role of platelet antagonists in coronary artery disease (Mehta), 859

and percutaneous transluminal coronary angioplasty including surgery for failed angioplasty, comparison of (Jones, Murphy, and Craver), 830

role of after intracoronary streptokinase infusion for myocardial infarction (Walker et al.), 826

disease, cardiokymography exercise test compared to the thallium-201 perfusion exercise test in the diagnosis of (Burke et al.), 718

chronic, suppression of high-grade ventricular ectopic activity by antiarrhythmic drug treatment as a marker for survival in patients with (Hoffmann et al.), 1103

effect of prolonged intense endurance training on systolic time intervals in patients with (Martin et al.), 75

endocardial activation in patients with: effects of regional contraction abnormalities (Wiener, Mindich, and Pitchon), 1146

intraoperative balloon-catheter dilatation in treatment of (Jones and King), 836

occult, serum lipids as indicators of assessed by angiography (Ramsdale et al.), 811

progression of in patients with chest pain and normal or intraluminal disease on arteriography (Haft and Bachik), 35

right ventricular function in as assessed by two-dimensional echocardiography (Panidis et al.), 1187

role of platelet antagonists in: implications in coronary artery bypass surgery and balloon-catheter dilatation (Mehta), 859

thromboxane release in: spontaneous versus pacing-induced angina (Mehta et al.), 286

experience with operative transluminal balloon-catheter dilatation of the (Mills and Doyle), 838

normal, myocardial infarction with complicated by ventricular septal rupture (St. Louis et al.), 1259 (Brief comm.)

occlusion, brief, decreased systolic wall thickening in myocardium adjacent to ischemic zones in conscious swine during (Guth et al.), 458

in dogs, effect of whole-body hypothermia on myocardial blood flow and infarct salvage during (Voorhees, Abendschein, and Tacker), 945

reperfusion, late, effects of after myocardial necrosis is complete (Geft et al.), 623

right and left, common origin of from the region of left sinus of Valsalva: association with unexpected intrauterine fetal death (Muus and McManus), 1285 (Brief comm.)

septal, systolic compression of with septal ischemia by thallium-201 scintigraphy (Ugarte et al.), 1039 (Brief comm.)

systematic visualization of by two-dimensional echocardiography in children and infants: evaluation in Kawasaki's disease and coronary arteriovenous fistulas (Satomi et al.), 497

tumor metastasis, fatal (Lasky), 785 (Brief comm.)

care unit effectiveness (Spodick), 399 (Letter)

Reply (Morris, Roos, and Ross), 400

disease detection, serial thallium-201 imaging after dipyridamole for: quantitative analysis using myocardial clearance (Okada et al.), 475

Coronary disease—continued

- nonexercise-dependent screening test for: thallium scintigraphy during dobutamine infusion (Mason et al.), 481
- patients, prevalence and clinical significance of the repetitive ventricular response during sinus rhythm in (Breythardt et al.), 229
- usefulness of cold pressor test during two-dimensional echocardiography in detection of patients with (Gondi and Nanda), 278
- flow limitation precedes angina: sequential changes in regional coronary flow during pacing-induced angina pectoris (Wilson et al.), 269
- regional, sequential changes in during pacing-induced angina pectoris: coronary flow limitation precedes angina (Wilson et al.), 269
- reserve, use of myocardial contrast appearance time to measure: application of digital techniques to selective coronary arteriography (Vogel et al.), 153
- heart disease and hematocrit (Cohn), 186 (Letter)
- Reply (Carter and Reed), 186
- intervention, early prehospital trans-telephonic, effect of on morbidity and mortality: experience with 284 post-myocardial infarction patients in a pilot program (Capone et al.), 1153
- occlusion, acute, during balloon angioplasty due to intracoronary thrombus and coronary spasm: a reversible complication (Ischinger, Zack, and Aker), 1271 (Brief comm.)
- patients and normal subjects, influence of heart rate on exercise-induced R wave amplitude changes in (de Caprio et al.), 61
- spasm, ergonovine-induced, refractory to intracoronary nitroglycerin but responsive to nitroprusside (Hastey, Erwin, and Ramanathan), 778 (Brief comm.)
- provoked by angiography (Dodek and Hooper), 781 (Brief comm.)
- thrombosis, experimental, beneficial effects of nafazatrom (BAYg6575) on (Shea et al.), 629
- to-bronchial artery anastomosis and multiple pulmonary cysts with angina pectoris (Saito et al.), 1037 (Brief comm.)
- vasoconstriction due to prolonged hypoxia, involvement of calcium in (Karmazyn, Beamish, and Dhalla), 293
- Creatinine clearance and digoxin kinetics, effect of cimetidine on (Ochs et al.), 170 (Brief comm.)
- CT scan correlation with clinical and echocardiographic findings: P wave changes in intracerebral hemorrhage (Stolar et al.), 784 (Brief comm.)
- Cyclase, adenylate, -adrenergic receptor system, defect in during development of catecholamine-induced cardiomyopathy (Corder et al.), 537
- Cyclic AMP and phosphorylation in regulation of Ca^{++} influx into myocardial cells and blockade by calcium antagonistic drugs (Sperelakis), 347
- Cysts, pulmonary, multiple, with angina pectoris, coronary-to-bronchial artery anastomosis and (Saito et al.), 1037 (Brief comm.)

D

Death, sudden cardiac, without associated myocardial infarction, prognosis after: One year follow-up of empiric therapy with amiodarone (Peter et al.), 209

in an asymptomatic young man with notched T waves and QT prolongation (Karjalainen and Heikkilä), 1040 (Brief comm.)

in primary mitral valve prolapse (Pocock et al.), 378 (Brief comm.)

prevention of myocardial reinfarction and of in survivors of acute myocardial infarction: role of prophylactic beta-adrenoceptor blockade (Singh and Venkatesh), 189

unexpected, epidemiology of: risk factors for men and women in the Framingham Heart Study (Schatzkin et al.), 1300

Defect, pericardial, congenital partial, fatal cardiac strangulation by (Jones and McManus), 183 (Brief comm.)

Dehiscence, porcine mitral prosthesis, echocardiographic diagnosis of. A new finding (Slavich, Pinamonti, and De Piccoli), 172 (Brief comm.)

Demand pacemaker myopotential inhibition, unipolar, Holter monitoring and provocative maneuvers in assessment of (Gaita et al.), 925

Depressor and pressor responses after cholinergic blockade in humans (Goldstein and Keiser), 974

Diabetes, blood pressure, serum lipids, smoking, health knowledge, and behavior: cardiovascular risk factors among urban American Indians (Gillum, Gillum, and Smith), 765

Diaphragm, fibromuscular, double-chambered right ventricle due to (Bashour et al.), 792 (Brief comm.)

Diastolic prolapse of intimal flap into left ventricle: unusual echographic findings in aortic dissection (Come et al.), 790 (Brief comm.)

Digital techniques, application of to selective coronary arteriography: use of myocardial contrast appearance time to measure coronary flow reserve (Vogel et al.), 153

Digitalis glycosides, update on the influence of quinidine and other agents on (Bussey), 143

Digoxin concentrations, serum, in patients, effect of nifedipine on (Schwartz, Raizner, and Akers), 669

kinetics and creatinine clearance, effect of cimetidine on (Ochs et al.), 170 (Brief comm.)

Dilatation, balloon-catheter, and coronary artery bypass surgery, implications in role of platelet antagonists in coronary artery disease (Mehta), 859

coronary artery, adjunctive operative: review of Lenox Hill experience (Wallsh et al.), 856

intraoperative (Fogarty and Kinney), 845

intraoperative, in treatment of coronary artery disease (Jones and King), 836

: University of Florida experience (Faro et al.), 841

retrograde, intraoperative, to augment myocardial revascularization (Ross et al.), 851

transluminal, operative, of the coronary arteries, experience with (Mills and Doyle), 838

pressure, balloon, higher, in coronary angioplasty (Meier et al.), 619

Dilated cardiomyopathy, clinical and pathologic findings of myocarditis in two families with (O'Connell et al.), 127

Dilation, right ventricular, acute, and echocardiographic volume overload following pericardiocentesis for relief of cardiac tamponade (Armstrong, Feigenbaum, and Dillon), 1266 (Brief comm.)

Diltiazem, high-dose, in chronic stable exertional angina, long-term study of (Hossack et al.), 1215

propranolol, and placebo, comparative effects of on exercise performance using radionuclide ventriculography in patients with symptomatic, coronary artery disease: results of a double-blind, randomized crossover study (Anderson et al.), 698

Dipyridamole, serial thallium-201 imaging after for coronary disease detection: quantitative analysis using myocardial clearance (Okada et al.), 475

Discrete membranous subaortic stenosis: ECG and vectorcardiographic findings (Blieden et al.), 1293 (Brief comm.)

Discussion: Summing up of Symposium on New Techniques in Therapeutic Coronary Catheterization including Intraoperative Angioplasty (Pepine, Conti, and Roberts), 870

Dissecting aortic aneurysm, rupture of into the right atrium: clinical and echocardiographic recognition (Nicod et al.), 1276 (Brief comm.)

Dissection, aortic, unusual echographic findings in: diastolic prolapse of intimal flap into left ventricle (Come et al.), 790 (Brief comm.)

ascending aortic aneurysm, unusual echocardiographic image of (Steriotis, Athanasiopoulos, and Aravanis), 1023 (Brief comm.)

Dissolution of human atherosclerotic disease by fiberoptic laser-heated metal cautery cap (Lee et al.), 777 (Brief comm.)

Distensibility, right ventricular, reduced, echographic premature pulmoni valve opening, sign of (Benito et al.), 1029 (Brief comm.)

Diuretic, vasodilator, and positive inotropic drugs in left ventricular failure following acute myocardial infarction, hemodynamic trial of sequential treatment with (Nelson et al.), 1202

Dobutamine infusion, thallium scintigraphy during: nonexercise-dependent screening test for coronary disease (Mason et al.), 481
on exercise performance in patients with symptomatic ischemic heart disease, effect of (Rabinovitch et al.), 81
Dogs, conscious, telemetry of electrophysiologic variables from: system design, validation, and serial studies (Rutherford et al.), 90
Doppler and Fick measurements of stroke volume, noninvasive pulsed, comparison of in cardiac patients (Loeppky et al.), 339
echocardiographic features of mechanical alternans (Schuster and Nanda), 580 (Brief comm.)
echocardiography, continuous-wave, aortic flow velocity in older subjects using (Vijayaraghavan et al.), 1275 (Brief comm.)
evaluation of blood flow velocity in the ascending aorta and main pulmonary artery of normal subjects by (Gardin et al.), 310
study, echo, two-dimensional, of congenital disorders of the mitral valve (Grenadier et al.), 319
Double-chambered right ventricle due to fibromuscular diaphragm (Bashour et al.), 792 (Brief comm.)
d-propranolol, acebutolol, and atenolol, effects of on isolated working rat hearts subject to myocardial ischemia and reperfusion: role of beta-adrenoreceptor antagonism in the prevention of reperfusion ventricular arrhythmias (Rochette et al.), 1132
Drugs, cardiovascular, other, interaction of mexiletine with (Bigler), 1079
Dynamics, nonlinear, electrical alternans, and pericardial tamponade (Goldberger et al.), 1297
Dysfunction, ischemic wall, detection of: comparison between M-mode echocardiography and sonomicrometry (Guth et al.), 449

E

Ear pain due to myocardial ischemia (Bryhn and Hindfelt), 186 (Letter)
Echo Doppler study, two-dimensional, of congenital disorders of the mitral valve (Grenadier et al.), 319
Echocardiogram, interatrial septal: relationship to left atrial volume change in the normal and diseased heart (Chung-Sheng, Hon-Yuan, and Yih), 519
Echocardiographic abnormalities in tuberculous pericardial effusion (Chia et al.), 1032 (Brief comm.)
and clinical features of right atrial masses (Panidis et al.), 745
of right heart endocarditis (Panidis et al.), 759
assessment of radiation-induced valvular heart disease, two-dimensional (Detrano, Yiannikas, and Salcedo), 584 (Brief comm.)
diagnosis of porcine mitral prosthesis dehiscence. A new finding (Slavich, Pinamonti, and De Piccoli), 172 (Brief comm.)
of unruptured sinus of Valsalva aneurysm (Lewis and Agathangelou), 1025 (Brief comm.)
documentation, contrast, of paradoxical embolism (Rodgers, Singh, and Meister), 1270 (Brief comm.)
evaluation, two-dimensional, of overriding and straddling atrioventricular valves associated with complex congenital heart disease (Barron et al.), 1006
of right ventricular infarction (Jugdutt et al.), 505
features of carcinoid heart disease (Reid et al.), 801 (Brief comm.)
of hemopericardium (Garcia-Fernández et al.), 1035 (Brief comm.)
of mechanical alternans, Doppler (Schuster and Nanda), 580 (Brief comm.)
findings, M-mode and two-dimensional, in pulmonic valve endocarditis (Berger et al.), 391 (Brief comm.)
unusual, triple-valve endocarditis with (Rippe et al.), 598 (Brief comm.)
identification, two-dimensional, of epicardial pacemaker wire perforation (Chazal and Feigenbaum), 165 (Brief comm.)

Echocardiographic—continued
image of ascending aortic aneurysm dissection, unusual (Steriotis, Athanasopoulos, and Aravanis), 1023 (Brief comm.)
pathophysiology, and clinical review of mitral annular calcification (Nestico et al.), 989
preoperative prediction, two-dimensional, of prosthetic aortic valve size (Cohen et al.), 108
study, M-mode, of transient changes in left ventricular mechanics during attacks of Prinzmetal's angina (Distante et al.), 465
volume overload and acute right ventricular dilation following pericardiocentesis for relief of cardiac tamponade (Armstrong, Feigenbaum, and Dillon), 1266 (Brief comm.)
Echocardiography, contrast, diagnosis of paradoxical embolism with (Higgins, Strunk, and Schiller), 375 (Brief comm.)
of pulmonary regurgitation by (Meltzer et al.), 102
Doppler, continuous-wave, aortic flow velocity in older subjects using (Vijayaraghavan et al.), 1275 (Brief comm.)
evaluation of blood flow velocity in the ascending aorta and main pulmonary artery of normal subjects by (Gardin et al.), 310
M-mode, and sonomicrometry, comparison between in detection of ischemic wall dysfunction (Guth et al.), 449
of porcine aortic prosthesis with flail leaflets due to degeneration and calcification (Bansal, Morrison, and Jacobson), 591 (Brief comm.)
subcostal M-mode, of right atrial wall for differentiation of supraventricular trachyarrhythmias with aberration from ventricular tachycardia (Drinković), 326
two-dimensional, assessment of right ventricular function using (Kaul et al.), 526
calcification of tricuspid anulus diagnosed by (Mattleman et al.), 986
cold pressor test during: usefulness in detection of patients with coronary disease (Gondi and Nanda), 278
for evaluation of metastatic cardiac tumors in pediatric patients (Grenadier et al.), 122
in pulmonary embolism, surgical removal of right atrial thromboembolus detected by (Nestico et al.), 1278 (Brief comm.)
in the detection of noneffusive cardiac involvement by intrathoracic neoplasms (Cohen, Raible, and Ansinielli), 532
in the diagnosis of carcinoid heart disease (Forman et al.), 492
of ruptured pulmonic valve with infective endocarditis (Suwa et al.), 1027 (Brief comm.)
right ventricular function in coronary artery disease as assessed by (Panidis et al.), 1187
systematic visualization of coronary arteries in children and infants: evaluation in Kawasaki's disease and coronary arteriovenous fistulas (Satomi et al.), 497
transesophageal, intraoperative detection of changes in LV segmental wall motion by (Beaupre et al.), 1021 (Brief comm.)
visualization of pericardial thymoma and evaluation of chemotherapy by (Iliceto et al.), 605 (Brief comm.)
Echographic early systolic partial closure (notching) of the aortic valve in congestive cardiomyopathy (Gardin, Tommaso, and Talano), 135
findings, unusual, in aortic dissection: diastolic prolapse of intimal flap into left ventricle (Come et al.), 790 (Brief comm.)
premature pulmonic valve opening: sign of reduced right ventricular distensibility (Benito et al.), 1029 (Brief comm.)
Ectopic activity, high-grade ventricular, suppression of by antiarrhythmic drug treatment as a marker for survival in patients with chronic coronary artery disease (Hoffmann et al.), 1103
beats, ventricular, in acute myocardial infarction, effects of intravenous nitroglycerin on (Bussmann, Neumann, and Kaltenbach), 940
rate, antiarrhythmic-slowed, influence of on pacing termination of ventricular tachycardia (Keren, Miura, and Somberg), 638

Effusion, pericardial, tuberculous, echocardiographic abnormalities in (Chia et al.), 1032 (Brief comm.)

Ejection fraction, right ventricular and left ventricular, in pediatric patients with normal hearts: first-pass radionuclide angiography (Hurwitz, Treves and Kuruc), 726

phase indices of performance and myocardial function, relationship between during development of pressure overload hypertrophy (Hoffman and Covell), 738

Electrical activity, fragmented endocardial, in patients with ventricular tachycardia: a new guide to surgical therapy (Wiener, Mindich, and Pitchon), 86

alternans, nonlinear dynamics, and pericardial tamponade (Goldberger et al.), 1297

instability, no, after intracoronary streptokinase administered into sinus node or AV node of dogs (Epstein, Urthaler, and James), 902

Electrocardiographic and vectorcardiographic findings in discrete membranous subaortic stenosis (Blieden et al.), 1293 (Brief comm.)

-gated cardioscintigraphy to assess right ventricular function during biventricular dissociation, local right ventricular electrogram for (Manyari et al.), 385 (Brief comm.)

nuclear magnetic resonance imaging: appearance of the congenitally malformed heart (Jacobstein et al.), 1014

Electrocardiography, ambulatory, and radionuclide ventriculography, identification at hospital discharge by of the high-risk acute myocardial infarction patient at 1-year follow-up (Olson et al.), 358

Electrogram, right ventricular, local, for ECG-gated cardioscintigraphy to assess right ventricular function during biventricular dissociation (Manyari et al.), 385 (Brief comm.)

Electrophysiologic and hemodynamic effects of propafenone, a new antiarrhythmic agent, on the anesthetized, closed-chest dog: comparative study with lidocaine (Karagueuzian et al.), 418

characteristics of the transplanted human heart (Bexton et al.), 1

effects and mechanisms of termination of supraventricular tachycardia by intravenous amiodarone (Gomes et al.), 214

of ethmozin in patients with ventricular tachycardia (Mann et al.), 674

of intravenous metoprolol (Marchlinski et al.), 1125

techniques, role of with oral mexiletine in treatment of refractory ventricular arrhythmias (Schoenfeld et al.), 1071

variables from conscious dogs, telemetry of: system design, validation, and serial studies (Rubenson et al.), 90

Electrophysiology, clinical, of intravenous sotalol, a beta-blocking drug with class III antiarrhythmic properties (Touboul et al.), 888

Elimination of amiodarone, prolonged, following cessation of chronic therapy (Wilkinson et al.), 787 (Brief comm.)

Embolism, paradoxical, contrast echocardiographic documentation of (Rodgers, Singh, and Meister), 1270 (Brief comm.)

diagnosis of with contrast echocardiography (Higgins, Strunk, and Schiller), 375 (Brief comm.)

Endocardial activation in patients with coronary artery disease: effects of regional contraction abnormalities (Wiener, Mindich, and Pitchon), 1146

electrical activity, fragmented, in patients with ventricular tachycardia: a new guide to surgical therapy (Wiener, Mindich, and Pitchon), 86

fibroelastosis, isolated, of the right ventricle associated with pulmonary hypertension (Larson et al.), 1286 (Brief comm.)

with congenital complete heart block in identical twins (Rios, Duff, and Simpson), 1290 (Brief comm.)

pacing leads, ventricular, characterization of chronically implanted (Angello, McAnulty, and Dobbs), 1142

Endocarditis, infective, in infants and children during the past 10 years: a decade of change (Van Hare et al.), 1235

two-dimensional echocardiography of ruptured pulmonic valve with (Suwa et al.), 1027 (Brief comm.)

Endocarditis—continued

pulmonic valve, M-mode and two-dimensional echocardiographic findings in (Berger et al.), 391 (Brief comm.)

right heart: clinical and echocardiographic features (Panidis et al.), 759

triple-valve, with unusual echocardiographic findings (Rippe et al.), 598 (Brief comm.)

Endomyocardial biopsy in Henoch-Schönlein purpura (Kereakes, Ports, and Finkbeiner), 382 (Brief comm.)

Endurance training, prolonged intense, effect of on systolic time intervals in patients with coronary artery disease (Martin et al.), 75

Eosinophilic constrictive pericarditis (Virmani et al.), 803 (Brief comm.)

Epicardial pacemaker wire perforation, two-dimensional echocardiographic identification of (Chazal and Feigenbaum), 165 (Brief comm.)

Equations, generalized, for predicting functional capacity from treadmill performance (Foster et al.), 1229

Equilibrium radionuclide angiography, attenuation correction of for noninvasive quantitation of cardiac output and ventricular volumes (Petru et al.), 1221

Ergonovine-induced coronary spasms refractory to intracoronary nitroglycerin but responsive to nitroprusside (Hastey, Erwin, and Ramanathan), 778 (Brief comm.)

episodes of variant angina, ventricular arrhythmias during (Szlachcic et al.), 20

Essential function of the right ventricle, the (Furey, Zieske, and Levy), 404

hypertension, assessing sodium and potassium intake in (Gillum, Prineas, and Elmer), 549

Ethmozin, electrophysiologic effects in patients with ventricular tachycardia (Mann et al.), 674

Exercise-induced R wave amplitude changes in coronary patients and normal subjects, influence of heart rate on (de Caprio et al.), 61

performance in patients with symptomatic ischemic heart disease, effect of dobutamine on (Rabinovitch et al.), 81

using radionuclide ventriculography in patients with symptomatic coronary artery disease, comparative effects of diltiazem, propranolol, and placebo on: results of a double-blind, randomized, crossover study (Anderson et al.), 698

supine compared to erect, increased myocardial ischemia during demonstrated by thallium-201 myocardial perfusion imaging (Kelly et al.), 1263 (Brief comm.)

test, cardiokymography, compared to the thallium-201 perfusion exercise test in the diagnosis of coronary artery disease (Burke et al.), 718

thallium-201 perfusion, compared to the cardiokymography exercise test in the diagnosis of coronary artery disease (Burke et al.), 718

testing, treadmill, repeat: variability of results in patients with angina pectoris (Starling et al.), 298

Exertional angina, chronic stable, long-term study of high-dose diltiazem in (Hossack et al.), 1215

Extrasystoles, manifest, mechanisms of disappearance and reappearance of: concealed atrial bigeminy (Kinoshita et al.), 919

F

Familial hypertrophic cardiomyopathy and preexcitation (Hausser, Gordon, and Timmis), 176 (Brief comm.)

Fatal cardiac strangulation by congenital partial pericardial defect (Jones and McManus), 183 (Brief comm.)

coronary artery tumor metastasis (Lasky), 785 (Brief comm.)

Fetal death, intrauterine, unexpected, association with: common origin of right and left coronary arteries from the region of left sinus of Valsalva (Muus and McManus), 1285 (Brief comm.)

Fiberoptic laser-heated metal cautery cap, dissolution of human atherosclerotic disease by (Lee et al.), 777 (Brief comm.)

Fibrillation, atrial, in pericardial disease (Spodick), 809 (Letter)

Reply (Goldberger and John Mancini), 810

Fibrinopeptide A and beta thromboglobulin in patients with angina pectoris and acute myocardial infarction (van Hulsteijn et al.), 39

Fibroelastosis, endocardial, isolated, of the right ventricle associated with pulmonary hypertension (Larson et al.), 1286 (Brief comm.)

with congenital complete heart block in identical twins (Rios, Duff, and Simpson), 1290 (Brief comm.)

Fibromuscular diaphragm, double-chambered right ventricle due to (Bashour et al.), 792 (Brief comm.)

Fick and Doppler measurements of stroke volume, noninvasive pulsed, comparison of in cardiac patients (Loeppky et al.), 339

Fistulas, arteriovenous, coronary, and Kawasaki's disease, evaluation in: systematic visualization of coronary arteries by two-dimensional echocardiography in children and infants (Satomi et al.), 497

Flail leaflets due to degeneration and calcification, echocardiography of porcine aortic prosthesis with (Bansal, Morrison, and Jacobson), 591 (Brief comm.)

Flecainide acetate, new antiarrhythmic agent, proarrhythmic effects of the (Nathan et al.), 222

Flow reserve, coronary, use of myocardial contrast appearance time to measure: application of digital techniques to selective coronary arteriography (Vogel et al.), 153

velocity, aortic, in older subjects using continuous-wave Doppler echocardiography (Vijayraghavan et al.), 1275 (Brief comm.)

Flutter, atrial, nonsustained, induction of by programmed atrial stimulation in children: incidence, mechanisms, and clinical implications (Casta et al.), 444

with 1:1 atrioventricular conduction: electrophysiologic and histologic correlations (Blanc et al.), 1044 (Brief comm.)

Forearm venous pressure-volume relationship, radionuclide analysis of: response to nitroglycerin (Dittrich and Slutsky), 733

Fragmented endocardial electrical activity in patients with ventricular tachycardia: a new guide to surgical therapy (Wiener, Mindich, and Pitchon), 86

Framingham Heart Study, risk factors for men and women in: epidemiology of sudden unexpected death (Schatzkin et al.), 1300

Free wall, right ventricular, total disconnection of the: physiological consequences in the dog (Jones, Guiraudon, and Klein), 1169

Functional capacity, errors in predicting for postmyocardial infarction patients using a modified Bruce protocol (Sullivan and McKirnan), 486

generalized equations for predicting from treadmill performance (Foster et al.), 1229

G

Glycosides, digitalis, update of the influence of quinidine and other agents on (Bussey), 143

Grafts, bypass, coronary artery, without cardiopulmonary bypass, preservation of interventricular septal function in patients having (Akins, Boucher, and Pohost), 304

Great arteries, transposition of the, transumbilical balloon atrial septostomy for in infants under the age of 60 hours (Roguin et al.), 174 (Brief comm.)

H

Health knowledge, blood pressure, serum lipids, smoking, diabetes, and behavior: cardiovascular risk factors among urban American Indians (Gillum, Gillum, and Smith), 765

Heart(s) block, congenital complete, in identical twins, endocardial fibroelastosis with (Rios, Duff, and Simpson), 1290 (Brief comm.)

congenitally malformed, appearance of the with ECG-gated nuclear magnetic resonance imaging (Jacobstein et al.), 1014

Heart(s)—continued

disease(s), carcinoid, echocardiographic features of (Reid et al.), 801 (Brief comm.)

two-dimensional echocardiography in the diagnosis of congenital, complex, two-dimensional echocardiographic evaluation of overriding and straddling atrioventricular valves associated with (Barron et al.), 1006

infants with, accurate internal correction for the magnification of cineangiography in (Baylen et al.), 113

coronary, and hematocrit (Cohn), 186 (Letter)

Reply (Carter and Reed), 186

ischemic, chronic stable, efficacy of amiodarone during long-term treatment of potentially dangerous ventricular arrhythmias in patients with (Kaski et al.), 648

myopathic, and rheumatic, comparison of patients with as cardiac transplant recipients (Lanza et al.), 8

symptomatic, effect of dobutamine on exercise performance in patients with (Rabinovitch et al.), 81

valvular, adult, transseptal balloon catheterization of the left ventricle in (Lam, Juska, and Pietras), 147

radiation-induced, two-dimensional echocardiographic assessment of (Detrano, Yiannikas, and Salcedo), 584 (Brief comm.)

failure, congestive, severe, high prevalence of nonsustained ventricular tachycardia in (Maskin, Siskind, and LeJemtel), 896

nonlinear dynamics in: implications of long-wavelength cardiopulmonary oscillations (Goldberger et al.), 612

normal and diseased, clinical characteristics of left ventricular pressure decline during isovolumic relaxation in (Katayama et al.), 332

relationship of the interatrial septal echocardiogram to left atrial volume change in the (Chung-Sheng, Hon-Yuan, and Yih), 519

rate on exercise-induced R wave amplitude changes in coronary patients and normal subjects, influence of (de Caprio et al.), 61

Study, Framingham, risk factors for men and women in: epidemiology of sudden unexpected death (Schatzkin et al.), 1300

transplanted human, the electrophysiologic characteristics of the (Bexton et al.), 1

univentricular, management of infants with (Chen et al.), 1252

Hematocrit and coronary heart disease (Cohn), 186 (Letter)

Reply (Carter and Reed), 186

Hemodynamic effects of intravenous verapamil in patients on chronic propranolol therapy (Reddy, Uretsky, and Steinfield), 97

of mexiletine (Shanks), 1065

trial of sequential treatment with diuretic, vasodilator, and positive inotropic drugs in left ventricular failure following acute myocardial infarction (Nelson et al.), 1202

Hemopericardium, echocardiographic features of (Garcia-Fernández et al.), 1035 (Brief comm.)

Hemorrhage, intracerebral, P wave changes in: clinical, echocardiographic, and CT scan correlation (Stolar et al.), 784 (Brief comm.)

Henoch-Schönlein purpura, endomyocardial biopsy in (Kersebaums, Ports, and Finkbeiner), 382 (Brief comm.)

High-dose diltiazem in chronic stable exertional angina, long-term study of (Hossack et al.), 1215

-grade ventricular ectopic activity, suppression of by antiarrhythmic drug treatment as a marker for survival in patients with chronic coronary artery disease (Hoffmann et al.), 1103

-risk acute myocardial infarction patient, the, at 1-year follow-up: identification at hospital discharge by ambulatory electrocardiography and radionuclide ventriculography (Olson et al.), 358

Holter monitoring and provocative maneuvers in assessment of unipolar demand pacemaker myopotential inhibition (Gaita et al.), 925

Honks, tricuspid, phonoecardiography in (Chia et al.), 1032 (Brief comm.)

Hospital discharge identification of high-risk acute myocardial infarction patient at 1-year follow-up by ambulatory electrocardiography and radionuclide ventriculography (Olson et al.), 358

Hypersomnia-sleep apnea syndrome: its recognition in clinical cardiology (Burack), 543

Hypertension, essential, assessing sodium and potassium intake in (Gillum, Prineas, and Elmer), 549

pulmonary, isolated endocardial fibroelastosis of the right ventricle associated with (Larson et al.), 1286 (Brief comm.)

severe, and hypertensive emergencies, intravenous labetalol in management of (Cressman et al.), 980

Hypertensive emergencies and severe hypertension, intravenous labetalol in management of (Cressman et al.), 980

Hypertrophic cardiomyopathy, familial, and preexcitation (Hauser, Gordon, and Timmis), 176 (Brief comm.)

Hypertrophy, pressure overload, relationship between ejection phase indices of performance and myocardial functions during development of (Hoffman and Covell), 738

Hypophosphatemia, chronic, left ventricular function in patients with (Vered et al.), 796 (Brief comm.)

Hypotension, orthostatic, due to prolactin-secreting pituitary adenoma (Ducloux et al.), 187 (Letter)

Hypothermia, whole-body, effect of on myocardial blood flow and infarct salvage during coronary artery occlusion in dogs (Voorhees, Abendschein, and Tacker), 945

Hypoxia, prolonged, involvement of calcium in coronary vasoconstriction due to (Karmazyn, Beamish, and Dhalla), 293

I

Imaging, serial thallium-201, after dipyridamole for coronary disease detection: quantitative analysis using myocardial clearance (Okada et al.), 475

Immunosuppression, mild myocardial inflammation presenting as congestive cardiomyopathy responsive to (Shanes et al.), 798 (Brief comm.)

Indians, American, urban, cardiovascular risk factors among: blood pressure, serum lipids, smoking, diabetes, health knowledge, and behavior (Gillum, Gillum, and Smith), 765

Infants under the age of 60 hours, transumbilical balloon atrial septostomy for transposition of the great arteries in (Roguin et al.), 174 (Brief comm.)

with congenital heart disease, accurate internal correction for the magnification of cineangiography in (Baylen et al.), 113

Infarct salvage and myocardial blood flow during coronary artery occlusion in dogs, effect of whole-body hypothermia on (Voorhees, Abendschein, and Tacker), 945

Infarctectomy, map-guided, treatment of refractory ventricular tachycardia complicating recovery from acute myocardial infarction with (Garan et al.), 571

Infarction, myocardial, acute, and angina pectoris, fibrinopeptide A and beta thromboglobulin in patients with (van Hulsteijn et al.), 39

assessment of myocardial damage in patients with by serial measurement of serum alpha-hydroxybutyrate dehydrogenase levels (van der Laarse et al.), 248

effects of verapamil in patients with: hemodynamics and function of normal and ischemic left ventricular myocardium (Heikkilä and Nieminen), 241

evolving, intracoronary streptokinase in (Feldman et al.), 823

inferior, anterolateral ST segment depression in: angiographic and clinical implications (Roubin et al.), 1177

myoglobinemia in (Antonelli and Barzilay), 609 (Letter)

Reply (Drexel et al.), 609

patient, high-risk, at 1-year follow-up: identification at hospital discharge by ambulatory electrocardiography and radionuclide ventriculography (Olson et al.), 358

percutaneous transluminal coronary angioplasty in (Pepine et al.), 820

Infarction, myocardial, acute—continued

prenerterol in cardiogenic shock following (Coma-Canella, Lopez-Sendon, and Jadrake), 1195

prevention of myocardial reinfarction and of sudden death in survivors of: role of prophylactic beta-adrenoceptor blockade (Singh and Venkatesh), 189

refractory ventricular tachycardia complicating recovery from: treatment with map-guided infarctectomy (Garan et al.), 571

short-term prognosis in: evaluation of different prediction methods (Madsen, Gilpin, and Henning), 1241

torsade de pointes complicating (Griffin and Most), 169 (Brief comm.)

transmural and nontransmural, comparison of the influence of on ventricular function (Nicol et al.), 28

relationship between ventricular arrhythmias and ischemia-induced conduction delay in closed-chest animals within 24 hours of (Fujimoto et al.), 201

with normal coronary arteries complicated by ventricular septal rupture (St. Louis et al.), 1259 (Brief comm.)

patients, postmyocardial, errors in predicting functional capacity for using a modified Bruce protocol (Sullivan and McKirnan), 486

in a pilot program, experience with 284: effect of early prehospital transtelephonic coronary intervention on morbidity and mortality (Capone et al.), 1153

right ventricular: two-dimensional echocardiographic evaluation (Jugdutt et al.), 505

Infective endocarditis in infants and children during the past 10 years: a decade of change (Van Hare et al.), 1235

two-dimensional echocardiography of ruptured pulmonary valve with (Suwa et al.), 1027 (Brief comm.)

Inferior wall myocardial infarction, acute, right ventricular involvement with identifies high risk of developing atrioventricular nodal conduction disturbances (Braat et al.), 1183

Inflammation, myocardial, mild, presenting as congestive cardiomyopathy responsive to immunosuppression (Shanes et al.), 798 (Brief comm.)

Inotropic drugs, positive, vasodilator, and diuretic in left ventricular failure following acute myocardial infarction, hemodynamic trial of sequential treatment with (Nelson et al.), 1202

stimulation, response of reperfusion-salvaged, stunned myocardium to (Ellis et al.), 13

Interaction of mexiletine with other cardiovascular drugs (Bigner), 1079

Interatrial septal echocardiogram: relationship to left atrial volume change in the normal and diseased heart (Chung-Sheng, Hon-Yuan, and Yih), 519

Internal correction, accurate, for magnification of cineangiography in infants with congenital heart disease (Baylen et al.), 113

Interpretation of cardiac angiograms, subjective, influence of bias on the (Diamond et al.), 68

Interval(s), QT, and arrhythmias in athletes (Palatini and Sperati), 608 (Letter)

Reply (Pantano), 608

systolic time, in patients with coronary artery disease, effect of prolonged intense endurance training on (Martin et al.), 75

Intervention Trial, Multiple Risk Factor, the: clinical trials and their effect on medical therapy (Moser), 616

Interventricular septal function, preservation of in patients having coronary artery bypass grafts without cardiopulmonary bypass (Akins, Boucher, and Pohost), 304

Intimal flap into left ventricle, diastolic prolapse of: unusual echographic findings in aortic dissection (Come et al.), 790 (Brief comm.)

Intra-aortic balloon counterpulsation, early prosthetic mitral closure due to malfunctioning aortic prosthesis during (Gheorghie et al.), 388 (Brief comm.)

Intracerebral hemorrhage, P wave changes in: clinical, echocardiographic, and CT scan correlation (Stolar et al.), 784 (Brief comm.)

Intracoronary nitroglycerin, variable effects of on myocardial blood flow and segmental shortening according to dose and degree of coronary occlusion (Weintraub et al.), 707

streptokinase in evolving acute myocardial infarction (Feldman et al.), 823

I
Intracoronary streptokinase—*continued*
infusion for myocardial infarction, role of coronary artery bypass surgery after (Walker et al.), 826
Intraluminal disease on arteriography, progression of coronary artery disease in patients with chest pain and normal or (Haft and Bachik), 35
Intraoperative balloon-catheter dilatation in the treatment of coronary artery disease (Jones and King), 836
University of Florida experience (Faro et al.), 841
coronary artery balloon-catheter dilatation (Fogarty and Kinney), 845
detection of changes in LV segmental wall motion by transesophageal two-dimensional echocardiography (Beaupre et al.), 1021 (Brief comm.)
retrograde balloon-catheter dilatation to augment myocardial revascularization (Ross et al.), 851
Intrathoracic neoplasms, two-dimensional echocardiography in the detection of nonneoplastic cardiac involvement by (Cohen, Raible, and Ansinielli), 532
Intrauterine fetal death, association with: common origin of right and left coronary arteries from region of left sinus of Valsalva (Muus and McManus), 1285 (Brief comm.)
Intravenous labetalol in management of severe hypertension and hypertensive emergencies (Cressman et al.), 980
nitroglycerin, effects of on ventricular ectopic beats in acute myocardial infarction (Bussmann, Neumann, and Kaltenbach), 940
verapamil in patients on chronic propranolol therapy, hemodynamic effects of (Reddy, Uretsky, and Steinfeld), 97
Introduction to Symposium on New Techniques in Therapeutic Coronary Catheterization including Angioplasty (Roberts, Conti, and Pepine), 817
Irradiation, laser, effects of on cardiac valves: transcatheter in vivo vaporization of aortic valve (Lee et al.), 394 (Brief comm.)
Ischemia-induced conduction delay and ventricular arrhythmias, relationship between in closed-chest animals within 24 hours of myocardial infarction (Fujimoto et al.), 201
myocardial, a marker for: R wave amplitude responses to rapid atrial pacing (David et al.), 53
ear pain due to (Brynn and Hindfelt), 186 (Letter)
increased, during supine compared to erect exercise demonstrated by thallium-201 myocardial perfusion imaging (Kelly et al.), 1263 (Brief comm.)
painless, sudden severe, the syndrome of (Raper, Hastillo, and Paulsen), 813
resting, effects of assessed by thallium scintigraphy on QRS scoring system for estimating left ventricular function quantified by radionuclide angiography in acute myocardial infarction patients (DePace, Hakki, and Iskandrian), 1210
septal, systolic compression of septal coronary arteries with by thallium-201 scintigraphy (Ugarte et al.), 1039 (Brief comm.)
Ischemic heart disease, chronic stable, efficacy of amiodarone during long-term treatment of potentially dangerous ventricular arrhythmias in patients with (Kaski et al.), 648
symptomatic, effect of dobutamine on exercise performance in patients with (Rabinovitch et al.), 81
left ventricular myocardium, hemodynamics and function of normal and: effects of verapamil in patients with acute myocardial infarction (Heikkilä and Nieminen), 241
myopathic, and rheumatic heart diseases as cardiac transplant recipients, comparison of patients with (Lanza et al.), 8
wall dysfunction, detection of: comparison between M-mode echocardiography and sonomicrometry (Guth et al.), 449
zones, decreased systolic wall thickening in myocardium adjacent to in conscious swine during brief coronary artery occlusion (Guth et al.), 458
Isovolumic relaxation in normal and diseased hearts, clinical characteristics of: left ventricular pressure decline during (Katayama et al.), 332

J
Junctional rhythms, accelerated, during oral verapamil therapy (Schwartz et al.), 440

K
Kawasaki's disease and coronary arteriovenous fistulas, evaluation in systematic visualization of coronary arteries by two-dimensional echocardiography in children and infants (Satomi et al.), 497
left ventricular wall motion abnormalities in (Grenadier et al.), 966
Kent bundles, left-sided, shortening of ventriculoatrial conduction in patients with (Cinca et al.), 912

L
Labetalol, intravenous, in management of severe hypertension and hypertensive emergencies (Cressman et al.), 980
Laser-heated metal cautery cap, fiberoptic, dissolution of human atherosclerotic disease by (Lee et al.), 777 (Brief comm.)
irradiation on cardiac valves, effects of: transcatheter in vivo vaporization of aortic valve (Lee et al.), 394 (Brief comm.)
Late coronary artery reperfusion after myocardial necrosis is complete, effects of (Geft et al.), 623
Leads, pacing, ventricular endocardial, characterization of chronically implanted (Angello, McAnulty, and Dobbs), 1142
Leaflets, flail, due to degeneration and calcification, echocardiography of porcine aortic prosthesis with (Bansal, Morrison, and Jacobson), 591 (Brief comm.)
Left and right ventricular performance and quantitative thallium-201 scintigraphy following acute myocardial infarction, sequential radionuclide angiographic assessment of (Hirsowitz et al.), 934
atrial to right pulmonary artery communication: recognition and surgical correction (Sheikhzadeh et al.), 396 (Brief comm.)
volume change, relationship of the interatrial septal echocardiogram to in the normal and diseased heart (Chung-Sheng, Hon-Yuan, and Yih), 519
phrenic nerve paralysis, tricuspid regurgitation-like murmur due to mitral regurgitation with (Hiroya et al.), 181 (Brief comm.)
pulmonary artery branch stenosis, peripheral, scimitar syndrome with (Platini and Brinker), 594 (Brief comm.)
ventricle, diastolic prolapse of intimal flap into: unusual echographic findings in aortic dissection (Come et al.), 790 (Brief comm.)
transseptal balloon catheterization of the in adult valvular heart disease (Lam, Juska, and Pietras), 147
ventricular and right ventricular ejection fraction in pediatric patients with normal hearts: first-pass radionuclide angiography (Hurwitz, Treves, and Kuruc), 726
failure following acute myocardial infarction, hemodynamic trial of sequential treatment with diuretic, vasodilator, and positive inotropic drugs in (Nelson et al.), 1202
function and ventricular arrhythmias, effects of acetyl-strophantidin on (Podrid et al.), 882
during therapy of unstable angina pectoris, alterations in: relationship to clinical outcome (Narahara et al.), 261
in patients with chronic hypophosphatemia (Vored et al.), 796 (Brief comm.)
quantified by radionuclide angiography in acute myocardial infarction patients, effects of resting ischemia assessed by thallium scintigraphy on QRS scoring system for estimating (DePace, Hakki, and Iskandrian), 1210
mechanics, transient changes in during attacks of Prinzmetal's angina: an M-mode echocardiographic study (Distante et al.), 465
myocardium, ischemic, hemodynamics and function of normal and: effects of verapamil in patients with acute myocardial infarction (Heikkilä and Nieminen), 241
performance, evaluation of by radionuclide ventriculography in patients with atrioventricular versus ventricular demand pacemakers (Nitsch et al.), 906
pressure decline during isovolumic relaxation in normal and diseased hearts, clinical characteristics of (Katayama et al.), 332

Left ventricular—continued

- segmental wall motion, intraoperative detection of changes in by transesophageal two-dimensional echocardiography (Beaupre et al.), 1021 (Brief comm.)
- volume and R wave amplitude induced by rapid atrial pacing, correlation between changes in (Daniels et al.), 711
- wall motion abnormalities in Kawasaki's disease (Grenadier et al.), 966

Lenox Hill experience, review of in adjunctive operative coronary artery balloon-catheter dilatation (Wallsh et al.), 856

Lidocaine analogs—tocainide and mexiletine—molecular basis for antigenicity of (Duff et al.), 585 (Brief comm.)

comparative study with: electrophysiologic and hemodynamic effects of propafenone, a new antiarrhythmic agent, on the anesthetized, closed-chest dog (Karagueuzian et al.), 418

overdose, accidental, sinus standstill following (Antonelli, Ben-Ami, and Weiss), 1042 (Brief comm.)

-resistant ventricular tachycardia, mexiletine in (Abinader), 808 (Letter)

Reply (Santinelli, Chiariello, and Condorelli), 808

Lipids, serum, as indicators of occult coronary artery disease assessed by angiography (Ramsdale et al.), 811

Long-term clinical experience with mexiletine (Johansson, Stavenow, and Hanson), 1099

- mexiletine for ventricular arrhythmias (Stein et al.), 1091
- wavelength cardiopulmonary oscillations, implications of: nonlinear dynamics in heart failure (Goldberger et al.), 612

M

Magnetic resonance imaging, nuclear, ECG-gated: appearance of the congenitally malformed heart (Jacobstein et al.), 1014

Main pulmonary artery and ascending aorta of normal subjects by Doppler echocardiography, evaluation of blood flow velocity in the (Gardin et al.), 310

Malfunctioning aortic prosthesis, early prosthetic mitral closure due to during intra-aortic balloon counterpulsation (Gheorghiade et al.), 388 (Brief comm.)

Masses, atrial, right, clinical and echocardiographic features of (Panidis et al.), 745

Mechanical alternans, Doppler echocardiographic features of (Schuster and Nanda), 580 (Brief comm.)

prosthetic valves, anticoagulants during pregnancy for (Danel and Cooper), 607 (Letter)

Reply (Tamarri), 607

Mediastinal tumor causing continuous murmur (Cooke, Wolk, and Cheitlin), 1282 (Brief comm.)

Medical therapy, clinical trials and their effect on: The Multiple Risk Factor Intervention Trial (Moser), 616

Membranous subaortic stenosis, discrete: ECG and vectorcardiographic findings (Blieden et al.), 1293 (Brief comm.)

Meobentine sulfate, antidysrhythmic actions of (Zimmerman et al.), 1117

Metastasis, tumor, coronary artery, fatal (Lasky), 785 (Brief comm.)

Metastatic cardiac tumors in pediatric patients, two-dimensional echocardiography for evaluation of (Grenadier et al.), 122

Metoprolol, intravenous, electrophysiologic effects of (Marchlinski et al.), 1125

Mexiletine and tocainide—lidocaine analogs: molecular basis for antigenicity of (Duff et al.), 585 (Brief comm.)

for treatment of torsade de pointes (Shah and Schwartz), 589 (Brief comm.)

hemodynamic effects of (Shanks), 1065

in lidocaine-resistant ventricular tachycardia (Abinader), 808 (Letter)

Reply (Santinelli, Chiariello, and Condorelli), 808

long-term clinical experience with (Johansson, Stavenow, and Hanson), 1099

for ventricular arrhythmias (Stein et al.), 1091

Mexiletine—continued

- oral, in treatment of refractory ventricular arrhythmias: role of electrophysiologic techniques (Schoenfeld et al.), 1071
- pharmacology, electrophysiology, and pharmacokinetics of (Woosley et al.), 1058
- practical considerations in treatment of ventricular arrhythmias with (Akhtar), 1086
- with other cardiovascular drugs, interaction of (Bigger), 1079

Mitral annular calcification: clinical, pathophysiology, and echocardiographic review (Nestico et al.), 989

closure, prosthetic, early, due to malfunctioning aortic prosthesis during intra-aortic balloon counterpulsation (Gheorghiade et al.), 388 (Brief comm.)

prosthesis dehiscence, porcine, echocardiographic diagnosis of: A new finding (Slavich, Pinamonti, and De Piccoli), 172 (Brief comm.)

regurgitation, noninvasive assessment of pulmonary capillary wedge pressure in (Gamble, Salerni, and Shaver), 950

- with left phrenic nerve paralysis, tricuspid regurgitation-like murmur due to (Hirota et al.), 181 (Brief comm.)
- stenosis, rheumatoid, requiring valve replacement (Bortolotti et al.), 1049 (Brief comm.)
- valve, congenital disorders of, the two-dimensional echo Doppler study of (Grenadier et al.), 319
- prolapse, primary, sudden death in (Pocock et al.), 378 (Brief comm.)

M-mode and two-dimensional echocardiographic findings in pulmonary valve endocarditis (Berger et al.), 391 (Brief comm.)

echocardiographic study of transient changes in left ventricular mechanics during attacks of Prinzmetal's angina (Distanti et al.), 465

echocardiography and sonomicrometry, comparison between in detection of ischemic wall dysfunction (Guth et al.), 449

subcostal, of right atrial wall for differentiation of supraventricular tachyarrhythmias with aberration from ventricular tachycardia (Drinkovic), 326

Molecular basis for antigenicity of lidocaine analogs: tocainide and mexiletine (Duff et al.), 585 (Brief comm.)

Monitoring, Holter, and provocative maneuvers in assessment of unipolar demand pacemaker myopotential inhibition (Gaita et al.), 925

Multiple Risk Factor Intervention Trial, the: clinical trials and their effect on medical therapy (Moser), 616

Murmur, continuous, mediastinal tumor causing (Cooke, Wolk, and Cheitlin), 1282 (Brief comm.)

tricuspid regurgitation-like, due to mitral regurgitation with left phrenic nerve paralysis (Hirota et al.), 181 (Brief comm.)

Myocardial blood flow and infarct salvage during coronary artery occlusion in dogs, effect of whole-body hypothermia on (Voorhees, Abendschein, and Tacker), 945

and segmental shortening, variable effects of intracoronary nitroglycerin on according to dose and degree of coronary occlusion (Weintraub et al.), 707

cells, cyclic AMP and phosphorylation in regulation of Ca^{++} influx into and blockade by calcium antagonistic drugs (Sperelakis), 347

clearance, quantitative analysis of serial thallium-201 imaging after dipyridamole for coronary disease detection using (Okada et al.), 475

contrast appearance time to measure coronary flow reserve, use of: application of digital techniques to selective coronary arteriography (Vogel et al.), 153

damage, assessment of in patients with acute myocardial infarction by serial measurement of serum alpha-hydroxybutyrate dehydrogenase levels (van der Laarse et al.), 248

function and performance, ejection phase indices of, relationship between during development of pressure overload hypertrophy (Hoffman and Covell), 738

infarction, acute, and angina pectoris, fibrinopeptide A and beta thromboglobulin in patients with (van Hulsteijn et al.), 39

assessment of myocardial damage in patients with by serial measurement of serum alpha-hydroxybutyrate dehydrogenase levels (van der Laarse et al.), 248

Myocardial infarction, acute—continued

- effects of intravenous nitroglycerin on ventricular ectopic beats in (Bussmann, Neumann, and Kaltenbach), 940
- effects of verapamil in patients with: hemodynamics and function of normal and ischemic left ventricular myocardium (Heikkilä and Nieminen), 241
- evolving, intracoronary streptokinase in (Feldman et al.), 823
- hemodynamic trial of sequential treatment with diuretic, vasodilator, and positive inotropic drugs in left ventricular failure following (Nelson et al.), 1202
- inferior, anterolateral ST segment depression in: angiographic and clinical implications (Roubin et al.), 1177
- wall, right ventricular involvement with identifies high risk of developing atrioventricular nodal conduction disturbances (Braat et al.), 1183
- myoglobinemia in (Antonelli and Barzilay), 609 (Letter)
Reply (Drexel et al.), 609
- patient(s), effects of resting ischemia assessed by thallium scintigraphy on QRS scoring system for estimating LV function quantified by radionuclide angiography in (DePace, Hakki, and Iskandrian), 1210
- the high-risk, at 1-year follow-up: identification at hospital discharge by ambulatory electrocardiography and radionuclide ventriculography (Olson et al.), 358
- percutaneous transluminal coronary angioplasty in (Pepine et al.), 820
- enalrestol in cardiogenic shock following (Coma-Canella, Lopez-Sendon, and Jadraque), 1195
- prevention of myocardial reinfarction and of sudden death in survivors of: role of prophylactic beta-adrenoceptor blockade (Singh and Venkatesh), 189
- refractory ventricular tachycardia complicating recovery from: treatment with map-guided infarctectomy (Garan et al.), 571
- sequential radionuclide angiographic assessment of left and right ventricular performance and quantitative thallium-201 scintigraphy following (Hirsowitz et al.), 934
- short-term prognosis in: evaluation of different prediction methods (Madsen, Gilpin, and Henning), 1241
- torsade de pointes complicating (Griffin and Most), 169 (Brief comm.)
- transmural and nontransmural, comparison of the influence of on ventricular function (Nicod et al.), 28
- associated, prognosis after sudden cardiac death without: One year follow-up of empiric therapy with amiodarone (Peter et al.), 209
- relationship between ventricular arrhythmias and ischemia-induced conduction delay in closed-chest animals within 24 hours of (Fujimoto et al.), 201
- right ventricular, with ventricular septal rupture (Kereiakes et al.), 1257 (Brief comm.)
- role of coronary artery bypass surgery after intracoronary streptokinase infusion for (Walker et al.), 826
- with normal coronary arteries complicated by ventricular septal rupture (St. Louis et al.), 1259 (Brief comm.)
- inflammation, mild, presenting as congestive cardiomyopathy responsive to immunosuppression (Shanes et al.), 798 (Brief comm.)
- ischemia, as marker for: R wave amplitude responses to rapid atrial pacing (David et al.), 53
- and reperfusion, effects of acebutolol, atenolol, and dipropranolol on isolated working rat hearts subject to: role of beta-adrenoceptor antagonist in the prevention of reperfusion ventricular arrhythmias (Rochette et al.), 1132
- ear pain due to (Brynn and Hindfelt), 186 (Letter)
- increased, during supine compared to erect exercise demonstrated by thallium-201 myocardial perfusion imaging (Kelly et al.), 1263 (Brief comm.)
- painless, sudden severe, the syndrome of (Raper, Hastillo, and Paulsen), 813
- necrosis is complete, effects of late coronary artery reperfusion after (Geft et al.), 623
- perfusion imaging, thallium-201, increased myocardial ischemia during supine compared to erect exercise demonstrated by (Kelly et al.), 1263 (Brief comm.)

Myocardial perfusion—continued

- regional, measured by the avalanche radiation probe during cardiopulmonary bypass: pharmacologic and physiologic alterations (Karlberg et al.), 367
- reinfarction and of sudden death, prevention of in survivors of acute myocardial infarction: role of prophylactic beta-adrenoceptor blockade (Singh and Venkatesh), 189
- revascularization, intraoperative retrograde balloon-catheter dilatation to augment (Ross et al.), 851
- Myocarditis, chagasic, chronic, efficacy of amiodarone during long-term treatment of malignant ventricular arrhythmias in patients with (Chiale et al.), 656**
- Myocardium adjacent to ischemic zones, decreased systolic wall thickening in in conscious swine during brief coronary artery occlusion (Guth et al.), 458**
- ischemic left ventricular, hemodynamics and function of normal and: effects of verapamil in patients with acute myocardial infarction (Heikkilä and Nieminen), 241
- stunned, reperfusion-salvaged, response of to inotropic stimulation (Ellis et al.), 13
- myoglobinemia in acute myocardial infarction (Antonelli and Barzilay), 609 (Letter)
Reply (Drexel et al.), 609
- Myopathic, ischemic, and rheumatic heart diseases as cardiac transplant recipients, comparison of patients with (Lanza et al.), 8**
- Myopotential inhibition, unipolar demand pacemaker, Holter monitoring and provocative maneuvers in assessment of (Gaita et al.), 925**
- Myxomas, multiple, recurrent (Hada et al.), 1280 (Brief comm.)**

N

- Nafazatrom (BAYg6575), beneficial effects of on experimental coronary thrombosis (Shea et al.), 629
- Necrosis, myocardial, is complete, effects of late coronary artery reperfusion after (Geft et al.), 623
- Neoplasms, intrathoracic, two-dimensional echocardiography in the detection of noneffusive cardiac involvement by (Cohen, Raible, and Ansinielli), 532
- Nerve paralysis, left phrenic, tricuspid regurgitation-like murmur due to mitral regurgitation with (Hirosa et al.), 181 (Brief comm.)
- Nifedipine effects on renin-angiotensin-aldosterone system (Monteiro et al.), 809 (Letter)
Reply (Yamada and Hiramatsu), 809
- on serum digoxin concentrations in patients, effect of (Schwartz, Raizner, and Akers), 669
- Nitroglycerin, intracoronary, ergonovine-induced coronary spasm refractory to but responsive to nitroprusside (Hastey, Erwin, and Ramanathan), 778 (Brief comm.)
- variable effects of on myocardial blood flow and segmental shortening according to dose and degree of coronary occlusion (Weintraub et al.), 707
- intravenous, effects of on ventricular ectopic beats in acute myocardial infarction (Bussmann, Neumann, and Kaltenbach), 940
- response to radionuclide analysis of forearm venous pressure-volume relationship (Dittrich and Slutsky), 733
- Nitroprusside, ergonovine-induced coronary spasm refractory to intracoronary nitroglycerin but responsive to (Hastey, Erwin, and Ramanathan), 778 (Brief comm.)
- Nodal conduction disturbances, atrioventricular, right ventricular involvement with acute inferior wall myocardial infarction identifies high risk of developing (Braat et al.), 1183
- Nonexercise-dependent screening test for coronary disease: thallium scintigraphy during dobutamine infusion (Mason et al.), 481
- Noninvasive assessment of pulmonary capillary wedge pressure in mitral regurgitation (Gamble, Salerni, and Shaver), 950
- evaluation of severity of aortic stenosis in adult patients (Nakamura et al.), 959

Noninvasive—continued

- pulsed Doppler and Fick measurements of stroke volume in cardiac patients, comparison of (Loeppky et al.), 339
- Nonlinear dynamics, electrical alternans, and pericardial tamponade (Goldberger et al.), 1297
- in heart failure: implications of long-wavelength cardiopulmonary oscillations (Goldberger et al.), 612
- Nontransmural and transmural myocardial infarction, acute, on ventricular function, comparison of the influence of (Nicod et al.), 28
- Notching of the aortic valve (echographic early systolic partial closure) in congestive cardiomyopathy (Gardin, Tommaso, and Talano), 135
- Nuclear magnetic resonance imaging, ECG-gated: appearance of the congenitally malformed heart (Jacobstein et al.), 1014
- Numerical approach to classification of angina (Wartak, Fenna, and Callaghan), 402

O

- Occlusion, coronary, acute, during balloon angioplasty due to intracoronary thrombus and coronary spasm: a reversible complication (Ischinger, Zack, and Aker), 1271 (Brief comm.)
- artery, brief, decreased systolic wall thickening in myocardium adjacent to ischemic zones in conscious swine during (Guth et al.), 458
- in dogs, effect of whole-body hypothermia on myocardial blood flow and infarct salvage during (Voorhees, Abendschein, and Tacker), 945
- variable effects of intracoronary nitroglycerin on myocardial blood flow and segmental shortening according to dose and degree of (Weintraub et al.), 707
- Operative coronary artery balloon-catheter dilatation, adjunctive: review of Lenox Hill experience (Wallsh et al.), 856
- transluminal balloon-catheter dilatation of the coronary arteries, experience with (Mills and Doyle), 838
- Oral contraceptive users from a community survey, plasma renin substrate, renin activity, and aldosterone levels in a sample of (Goldhaber et al.), 119
- mexiletine in treatment of refractory ventricular arrhythmias: role of electrophysiologic technique (Schoenfeld et al.), 1071
- Orthostatic hypotension due to prolactin-secreting pituitary adenoma (Ducloux et al.), 187 (Letter)
- Oscillations, cardiopulmonary, long-wavelength, implications of: nonlinear dynamics in heart failure (Goldberger et al.), 612
- Overriding and straddling atrioventricular valves associated with complex congenital heart disease, two-dimensional echocardiographic evaluation of (Barron et al.), 1006

P

- P wave changes in intracerebral hemorrhage: clinical, echocardiographic, and CT scan correlation (Stolar et al.), 784 (Brief comm.)
- Pacemaker(s), atrial, implanted, stability of AV conduction in sick sinus node syndrome patients with (Hayes and Furman), 644
- atrioventricular versus ventricular demand, evaluation of left ventricular performance by radionuclide ventriculography in patients with (Nitsch et al.), 906
- myopotential inhibition, unipolar demand, Holter monitoring and provocative maneuvers in assessment of (Gaita et al.), 925
- wire perforation, epicardial, two-dimensional echocardiographic identification of (Chazal and Feigenbaum), 165 (Brief comm.)
- Pacing, atrial, rapid, correlation between changes in R wave amplitude and left ventricular volume induced by (Daniels et al.), 711
- R wave amplitude responses to: a marker for myocardial ischemia (David et al.), 53

Pacing—continued

- catheter, atrial, new temporary, clinical evaluation of a: results in 100 patients (Littleford et al.), 237
- induced angina pectoris, sequential changes in regional coronary flow during: coronary flow limitation precedes angina (Wilson et al.), 269
- spontaneous versus: thromboxane release in coronary artery disease (Mehta et al.), 286
- leads, ventricular endocardial, characterization of chronically implanted (Angello, McAnulty, and Dobbs), 1142
- termination of ventricular tachycardia: influence of antiarrhythmic-slowed ectopic rate (Keren, Miura, and Somberg), 638
- Pain, chest, and normal or intraluminal disease on arteriography, progression of coronary artery disease in patients with (Haft and Bachik), 35
- significance of during percutaneous transluminal coronary angioplasty (Aueron, Gruentzig, and Meier), 578 (Brief comm.)
- Painless myocardial ischemia, sudden severe, the syndrome of (Raper, Hastillo, and Paulsen), 813
- Paradoxical embolism, contrast echocardiographic documentation of (Rodgers, Singh, and Meister), 1270 (Brief comm.)
- diagnosis of with contrast echocardiography (Higgins, Strunk, and Schiller), 375 (Brief comm.)
- Paralysis, left phrenic nerve, tricuspid regurgitation-like murmur due to mitral regurgitation with (Hirota et al.), 181 (Brief comm.)
- Pediatric patients, two-dimensional echocardiography for evaluation of metastatic cardiac tumors in (Grenadier et al.), 122
- with normal hearts, right ventricular and left ventricular ejection fraction in: first-pass radionuclide angiocardiology (Hurwitz, Treves, and Kuruc), 726
- Percutaneous transluminal coronary angioplasty and coronary artery bypass surgery including surgery for failed angioplasty, comparison of (Jones, Murphy, and Craver), 830
- in acute myocardial infarction (Pepine et al.), 820
- significance of chest pain during (Aueron, Gruentzig, and Meier), 578 (Brief comm.)
- 6 years' experience (Gruentzig), 818
- Perfusion imaging, myocardial, thallium-201, increased myocardial ischemia during supine compared to erect exercise demonstrated by (Kelly et al.), 1263 (Brief comm.)
- myocardial, regional, measured by the avalanche radiation probe during cardiopulmonary bypass: pharmacologic and physiologic alterations (Karlsberg et al.), 367
- Pericardial defect, congenital partial, fatal cardiac strangulation by (Jones and McManus), 183 (Brief comm.)
- disease, atrial fibrillation in (Spodick), 809 (Letter)
- Reply (Goldberger and John Mancini), 810
- effusion, tuberculous, echocardiographic abnormalities in (Chin et al.), 1032 (Brief comm.)
- tamponade, nonlinear dynamics, and electrical alternans (Goldberger et al.), 1297
- thymoma, visualization of and evaluation of chemotherapy by two-dimensional echocardiography (Iliceto et al.), 605 (Brief comm.)
- Pericardiocentesis, acute right ventricular dilation and echocardiographic volume overload following for relief of cardiac tamponade (Armstrong, Feigenbaum, and Dillon), 1266 (Brief comm.)
- Pericarditis, constrictive, associated with sarcoidosis (Garrett, O'Neill, and Blake), 394 (Brief comm.)
- eosinophilia (Virmani et al.), 803 (Brief comm.)
- PGA, PGF_{2α}, thromboxane B₂, 6-keto-PGF_{1α}, and PGE₂ plasma levels in arteriosclerosis obliterans: relationship to clinical manifestation, risk factors, and arterial pathoanatomy (Jouve et al.), 45
- PGE₂, thromboxane B₂, 6-keto-PGF_{1α}, PGF_{2α}, and PGA, plasma levels in arteriosclerosis obliterans: relationship to clinical manifestations, risk factors, and arterial pathoanatomy (Jouve et al.), 45
- PGF_{2α}, thromboxane B₂, 6-keto-PGF_{1α}, PGE₂, and PGA, plasma levels in arteriosclerosis obliterans: relationship to clinical manifestations, risk factors, and arterial pathoanatomy (Jouve et al.), 45

Pharmacokinetics, pharmacology, and electrophysiology of mexiletine (Woosley et al.), 1058

Pharmacology, electrophysiology, and pharmacokinetics of mexiletine (Woosley et al.), 1058

Phonoechoangiography in tricuspid honks (Chia et al.), 1032 (Brief comm.)

Phosphorylation and cyclic AMP in regulation of Ca^{++} influx into myocardial cells and blockade by calcium antagonistic drugs (Sperelakis), 347

Phrenic nerve paralysis, left, tricuspid regurgitation-like murmur due to mitral regurgitation with (Hiota et al.), 181 (Brief comm.)

Pituitary adenoma, prolactin-secreting, orthostatic hypotension due to (Ducloux et al.), 187 (Letter)

Placebo, diltiazem, and propranolol, comparative effects of on exercise performance using radionuclide ventriculography in patients with symptomatic, coronary artery disease: results of a double-blind, randomized crossover study (Anderson et al.), 698

Plasma levels, PGA_1 , thromboxane B_2 , 6-keto-PGF_{1 α} , PGE₂, and PGF_{2 α} , in arteriosclerosis obliterans: relationship to clinical manifestation, risk factors, and arterial pathoanatomy (Jouve et al.), 45

renin substrate, renin activity, and aldosterone levels in a sample of oral contraceptive users from a community survey (Goldhaber et al.), 119

Platelet antagonists in coronary artery disease, role of: implications in coronary artery bypass surgery and balloon-catheter dilatation (Mehta), 859

Porcine aortic prosthesis with flail leaflets due to degeneration and calcification, echocardiography of (Bansal, Morrison, and Jacobson), 591 (Brief comm.)

mitral prosthesis dehiscence, echocardiographic diagnosis of. A new finding (Slavich, Pinamonti, and De Piccoli), 172

valve malfunction, multiple systolic clicks and echographic coarse systolic fluttering with (Szkopiec et al.), 794 (Brief comm.)

Postmyocardial infarction patients, errors in predicting functional capacity for using a modified Bruce protocol (Sullivan and McKirnan), 486

in a pilot program, experience with 284: effect of early prehospital transtelephonic coronary intervention on morbidity and mortality (Capone et al.), 1153

Potassium and sodium intake in essential hypertension, assessing (Gillum, Prineas, and Elmer), 549

PR interval shorter than the RP interval, observations in patients with supraventricular tachycardia having a: differentiation between atrial tachycardia and reciprocating atrioventricular tachycardia using an accessory pathway with long conduction times (Brugada et al.), 556

Preexcitation and familial hypertrophic cardiomyopathy (Hausler, Gordon, and Timmis), 176 (Brief comm.)

Pregnancy, anticoagulants during for mechanical prosthetic valves (Danel and Cooper), 607 (Letter)

Reply (Tamari), 607

Prehospital cardiac arrest, abnormal quinidine binding in survivors of (Kessler et al.), 665

transtelephonic coronary intervention on morbidity and mortality, effect of early: experience with 284 postmyocardial infarction patients in a pilot program (Capone et al.), 1153

Premature beats, ventricular, repetitive, replacement of amiodarone by sotalol for (Burkhardt, White, and Hoffmann), 167 (Brief comm.)

pulmonic valve opening, echographic: sign of reduced right ventricular distensibility (Benito et al.), 1029 (Brief comm.)

Prenalterol in cardiogenic shock following acute myocardial infarction (Coma-Canella, Lopez-Sendon, and Jadraque), 1195

Preoperative prediction of prosthetic aortic valve size, two-dimensional echocardiographic (Cohen et al.), 108

Pressor and depressor responses after cholinergic blockade in humans (Goldstein and Keiser), 974

test, cold, during two-dimensional echocardiography: usefulness in detection of patients with coronary disease (Gondi and Nanda), 278

Pressure, balloon dilatation, higher, in coronary angioplasty (Meier et al.), 619

Pressure—continued

decline, left ventricular, during isovolumic relaxation in normal and diseased hearts, clinical characteristics of (Katayama et al.), 332

overload hypertrophy, relationship between ejection phase indices of performance and myocardial functions during development of (Hoffman and Covell), 738

pulmonary capillary wedge, in mitral regurgitation, noninvasive assessment of (Gamble, Salerni, and Shaver), 950

-volume relationship, forearm venous, radionuclide analysis of: response to nitroglycerin (Dittrich and Slutsky), 733

Primary mitral valve prolapse, sudden death in (Pocock et al.), 378 (Brief comm.)

Prinzmetal's angina, transient changes in left ventricular mechanics during attacks of: an M-mode echocardiographic study (D'Amico et al.), 465

Proarrhythmic effects of the new antiarrhythmic agent flecainide acetate (Nathan et al.), 222

Probulcol, prolongation of QT interval induced by: demonstration of a method for determining QT interval change induced by a drug (Browne et al.), 680

Programmed atrial stimulation in children, induction of nonsustained atrial flutter by: incidence, mechanisms, and clinical implications (Casta et al.), 444

ventricular stimulation in patients without spontaneous ventricular tachycardia (Morady et al.), 875

Prolactin-secreting pituitary adenoma, orthostatic hypotension due to (Ducloux et al.), 187 (Letter)

Prolapse, diastolic, of intimal flap into left ventricle: unusual echographic findings in aortic dissection (Come et al.), 790 (Brief comm.)

valve, primary mitral, sudden death in (Pocock et al.), 378 (Brief comm.)

Prolonged elimination of amiodarone following cessation of chronic therapy (Wilkinson et al.), 787 (Brief comm.)

Propafenone, a new antiarrhythmic agent, electrophysiologic and hemodynamic effects of on the anesthetized, closed-chest dog: comparative study with lidocaine (Karguezian et al.), 418

Propranolol, diltiazem, and placebo, comparative effects of on exercise performance using radionuclide ventriculography in patients with symptomatic, coronary artery disease: results of a double-blind, randomized crossover study (Anderson et al.), 698

therapy, chronic, hemodynamic effects of intravenous verapamil in patients on (Reddy, Uretsky, and Steinfield), 97

Prosthesis, aortic, malfunctioning, early prosthetic mitral closure due to during intra-aortic balloon counterpulsation (Gheorghiade et al.), 388 (Brief comm.)

porcine, with flail leaflets due to degeneration and calcification, echocardiography of (Bansal, Morrison, and Jacobson), 591 (Brief comm.)

dehiscence, mitral, porcine, echocardiographic diagnosis of. A new finding (Slavich, Pinamonti, and De Piccoli), 172 (Brief comm.)

Prosthetic aortic valve size, two-dimensional echocardiographic preoperative prediction of (Cohen et al.), 108

mitral closure, early, due to malfunctioning aortic prosthesis during intra-aortic balloon counterpulsation (Gheorghiade et al.), 388 (Brief comm.)

valves, mechanical, anticoagulants during pregnancy for (Danel and Cooper), 607 (Letter)

Reply (Tamari), 607

Provocative maneuvers and Holter monitoring in assessment of unipolar demand pacemaker myopotential inhibition (Gaita et al.), 925

Pulmonary artery branch stenosis, left, peripheral, scimitar syndrome with (Platia and Brinker), 594 (Brief comm.)

main, and ascending aorta of normal subjects by Doppler echocardiography, evaluation of blood flow velocity in the (Gardin et al.), 310

right, to left atrial communication: recognition and surgical correction (Sheikhzadeh et al.), 396 (Brief comm.)

capillary wedge pressure in mitral regurgitation, noninvasive assessment of (Gamble, Salerni, and Shaver), 950

Pulmonary—continued

cysts, multiple, with angina pectoris, coronary-to-bronchial artery anastomosis and (Saito et al.), 1037 (Brief comm.)

embolism, surgical removal of right atrial thromboembolus detected by two-dimensional echocardiography in (Nestico et al.), 1278 (Brief comm.)

hypertension, isolated endocardial fibroelastosis of the right ventricle associated with (Larson et al.), 1286 (Brief comm.)

Pulmonic regurgitation by contrast echocardiography, diagnosis of (Meltzer et al.), 102

valve endocarditis, M-mode and two-dimensional echocardiographic findings in (Berger et al.), 391 (Brief comm.)

opening, premature, echographic: sign of reduced right ventricular distensibility (Benito et al.), 1029 (Brief comm.)

ruptured, with infective endocarditis, two-dimensional echocardiography of (Suwa et al.), 1027 (Brief comm.)

Purpura, Henoch-Schönlein, endomyocardial biopsy in (Kerckhaeke, Ports, and Finkbeiner), 382 (Brief comm.)

Q

QRS scoring system for estimating LV function quantified by radionuclide angiography in acute myocardial infarction patients, effects of resting ischemia assessed by thallium scintigraphy on (DePace, Hakki, and Iskandrian), 1210

QT interval and arrhythmias in athletes (Palatini and Sperti), 608 (Letter)

Reply (Pantano), 608

change induced by a drug, demonstration of a method for determining: prolongation of QT interval by probucol (Browne et al.), 680

prolongation and notched T waves, sudden death in an asymptomatic young man with (Karjalainen and Heikkilä), 1040 (Brief comm.)

of, induced by probucol: demonstration of a method for determining QT interval change induced by a drug (Browne et al.), 680

Quinidine and other agents on digitalis glycosides, update on the influence of (Bussey), 143

binding, abnormal, in survivors of prehospital cardiac arrest (Kessler et al.), 665

-rifampin interaction (Schwartz and Brown), 789 (Brief comm.)

torsade de pointes due to: observations in 31 patients (Bauman et al.), 425

R

R wave amplitude and left ventricular volume induced by rapid atrial pacing, correlation between changes in (Daniels et al.), 711

changes, exercise-induced, in coronary patients and normal subjects, influence of heart rate on (de Caprio et al.), 61

responses to rapid atrial pacing: a marker for myocardial ischemia (David et al.), 53

Radiation-induced valvular heart disease, two-dimensional echocardiographic assessment of (Detrano, Yiannikas, and Salcedo), 584 (Brief comm.)

probe, avalanche, regional myocardial perfusion measured by the during cardiopulmonary bypass: pharmacologic and physiologic alterations (Karlsberg et al.), 367

Radionuclide analysis of forearm venous pressure-volume relationship: response to nitroglycerin (Dittrich and Slutsky), 733

angiography, first-pass: right ventricular and left ventricular ejection fraction in pediatric patients with normal hearts (Hurwitz, Treves, and Kuruc), 726

angiographic assessment, sequential, of left and right ventricular performance and quantitative thallium-201 scintigraphy following acute myocardial infarction (Hirsowitz et al.), 934

Radionuclide—continued

angiography, equilibrium, attenuation correction for noninvasive quantitation of cardiac output and ventricular volumes (Petru et al.), 1221

in acute myocardial infarction patients, effects of resting ischemia assessed by thallium scintigraphy on QRS scoring system for estimating LV function quantified by (DePace, Hakki, and Iskandrian), 1210

ventriculography and ambulatory electrocardiography, identification at hospital discharge by of the high-risk acute myocardial infarction patient at 1-year follow-up (Olson et al.), 358

in patients with atrioventricular versus ventricular demand pacemakers, evaluation of left ventricular performance by (Nitsch et al.), 906

in patients with symptomatic coronary artery disease, comparative effects of diltiazem, propranolol, and placebo on exercise performance using: results of a double-blind, randomized, crossover study (Anderson et al.), 698

Receptor, adrenergic, -adenylate cyclase system, defect in during development of catecholamine-induced cardiomyopathy (Corder et al.), 537

Reciprocating atrioventricular tachycardia and atrial tachycardia, differentiation between using an accessory pathway with long conduction times: observations in patients with supraventricular tachycardia having a PR interval shorter than the RP interval (Brugada et al.), 556

Recurrent multiple myxomas (Hada et al.), 1280 (Brief comm.)

Reentrant tachycardia, atrioventricular nodal, initiation of in patients with discontinuous anterograde atrioventricular nodal conduction curves with and without documented supraventricular tachycardia: observations on role of a discontinuous retrograde conduction curve (Brugada et al.), 685

Reentry tachycardia, atrioventricular node, verapamil effects in with intermittent supra-Hisian AV block (Hamer et al.), 431

Refractory ventricular arrhythmias, oral mexiletine in treatment of: role of electrophysiologic techniques (Schoenfeld et al.), 1071

tachycardia complicating recovery from acute myocardial infarction: treatment with map-guided infarctectomy (Garan et al.), 571

Regional myocardial perfusion measured by the avalanche radiation probe during cardiopulmonary bypass: pharmacologic and physiologic alterations (Karlsberg et al.), 367

Regurgitation-like murmur, tricuspid, due to mitral regurgitation with left phrenic nerve paralysis (Hirote et al.), 181 (Brief comm.)

mitral, noninvasive assessment of pulmonary capillary wedge pressure in (Gamble, Salerni, and Shaver), 950

with left phrenic nerve paralysis, tricuspid regurgitation-like murmur due to (Hirote et al.), 181 (Brief comm.)

pulmonic, by contrast echocardiography, diagnosis of (Meltzer et al.), 102

Reinfarction, myocardial, and of sudden death, prevention of in survivors of acute myocardial infarction: role of prophylactic beta-adrenoceptor blockade (Singh and Venkatesh), 189

Renin activity, plasma renin substrate, and aldosterone levels in a sample of oral contraceptive users from a community survey (Goldhaber et al.), 119

-angiotensin-aldosterone system, nifedipine effects on (Monteiro et al.), 809 (Letter)

Reply (Yamada and Hiramatsu), 809

substrate, plasma, renin activity, and aldosterone levels in a sample of oral contraceptive users from a community survey (Goldhaber et al.), 119

Repeat treadmill exercise testing: variability of results in patients with angina pectoris (Starling et al.), 298

Reperfusion, coronary artery, late, effects of after myocardial necrosis is complete (Geft et al.), 623

-salvaged, stunned myocardium to inotropic stimulation, response of (Ellis et al.), 13

Repetitive ventricular premature beats, replacement of amiodarone by sotalol (Burkhardt, White, and Hoffmann), 167 (Brief comm.)

Repetitive ventricular—continued
response, prevalence and clinical significance of the during sinus rhythm in coronary disease patients (Breithardt et al.), 229

Resonance imaging, magnetic, ECG-gated nuclear: appearance of the congenitally malformed heart (Jacobstein et al.), 1014

Retrograde accessory pathways, unidirectional, antegrade conduction and AV node function in patients with (Henglein et al.), 411
balloon-catheter dilatation, intraoperative, to augment myocardial revascularization (Ross et al.), 851

Revascularization, myocardial, intraoperative retrograde balloon-catheter dilatation to augment (Ross et al.), 851

Rheumatic, ischemic, and myopathic heart diseases as cardiac transplant recipients, comparison of patients with (Lanza et al.), 8

Rheumatoid mitral stenosis requiring valve replacement (Bortolotti et al.), 1049 (Brief comm.)

Rhythms, junctional, accelerated, during oral verapamil therapy (Schwartz et al.), 440

Rifampin-quinidine interaction (Schwartz and Brown), 789 (Brief comm.)

Right and left ventricular performance and quantitative thallium-201 scintigraphy following acute myocardial infarction, sequential radionuclide angiographic assessment of (Hirsowitz et al.), 934
atrial masses, clinical and echocardiographic features of (Panidis et al.), 745

thromboembolus, surgical removal of, detected by two-dimensional echocardiography in pulmonary embolism (Nestico et al.), 1278 (Brief comm.)

atrium, rupture of dissecting aortic aneurysm into the: clinical and echocardiographic recognition (Nicod et al.), 1276 (Brief comm.)

heart endocarditis: clinical and echocardiographic features (Panidis et al.), 759

pulmonary artery-to-left atrial communication: recognition and surgical correction (Sheikhzadeh et al.), 396 (Brief comm.)

ventricle, double-chambered, due to fibromuscular diaphragm (Bashour et al.), 792 (Brief comm.)

isolated endocardial fibroelastosis of the associated with pulmonary hypertension (Larson et al.), 1286 (Brief comm.)

the essential function of the (Furey, Zieske, and Levy), 404

ventricular and left ventricular ejection fraction in pediatric patients with normal hearts: first-pass radionuclide angiography (Hurwitz, Treves, and Kuruc), 726

dilation, acute, and echocardiographic volume overload following pericardiocentesis for relief of cardiac tamponade (Armstrong, Feigenbaum, and Dillon), 1266 (Brief comm.)

distensibility, reduced, echographic premature pulmonic valve opening, sign of (Benito et al.), 1029 (Brief comm.)

electrogram, local, for ECG-gated cardioscintigraphy to assess right ventricular function during biventricular dissociation (Manyari et al.), 385 (Brief comm.)

free wall, total disconnection of the: physiological consequences in the dog (Jones, Guiraudon, and Klein), 1169

function, assessment of using two-dimensional echocardiography (Kaul et al.), 526

during biventricular dissociation, local right ventricular electrogram for ECG-gated cardioscintigraphy to assess (Manyari et al.), 385 (Brief comm.)

in coronary artery disease as assessed by two-dimensional echocardiography (Panidis et al.), 1187

infarction: two-dimensional echocardiographic evaluation (Jugdutt et al.), 505

with ventricular septal rupture (Kereiakes et al.), 1257 (Brief comm.)

involvement with acute inferior wall myocardial infarction identifies high risk of developing atrioventricular nodal conduction disturbances (Braat et al.), 1183

Risk factor(s) for men and women in Framingham Heart Study: epidemiology of sudden unexpected death (Schatzkin et al.), 1300

Risk Factor(s)—continued

Intervention Trial, Multiple, the: clinical trials and their effect on medical therapy (Moser), 616

RP interval, PR interval shorter than the, observations in patients with supraventricular tachycardia having a: differentiation between atrial tachycardia and reciprocating atrioventricular tachycardia using an accessory pathway with long conduction times (Brugada et al.), 556

Rupture of dissecting aortic aneurysm into the right atrium: clinical and echocardiographic recognition (Nicod et al.), 1276 (Brief comm.)

S

Salvage, infarct, and myocardial blood flow during coronary artery occlusion in dogs, effect of whole-body hypothermia on (Voorhees, Abendschein, and Tacker), 945

Sarcoidosis, constrictive pericarditis associated with (Garrett, O'Neill, and Blake), 394 (Brief comm.)

Scimitar syndrome with peripheral left pulmonary artery branch stenosis (Plati and Brinker), 594 (Brief comm.)

Scintigraphy, thallium, during dobutamine infusion: nonexercise-dependent screening test for coronary disease (Mason et al.), 481
effects of resting ischemia on QRS scoring system as assessed by for estimating LV function quantified by radionuclide angiography in acute myocardial infarction patients (DePace, Hakki, and Iskandrian), 1210

quantitative, and left and right ventricular performance following acute myocardial infarction, sequential radionuclide angiographic assessment of (Hirsowitz et al.), 934

Segmental shortening and myocardial blood flow, variable effects of intracoronary nitroglycerine on according to dose and degree of coronary occlusion (Weintraub et al.), 707

wall motion, LV, intraoperative detection of changes in by transesophageal two-dimensional echocardiography (Beaupre et al.), 1021 (Brief comm.)

Septal coronary arteries, systolic compression of with septal ischemia by thallium-201 scintigraphy (Ugarte et al.), 1039 (Brief comm.)

echocardiogram, interatrial: relationship to left atrial volume change in the normal and diseased heart (Chung-Sheng, Hon-Yuan, and Yih), 519

function, interventricular, preservation of in patients having coronary artery bypass grafts without cardiopulmonary bypass (Akins, Boucher, and Pohost), 304

ischemia, systolic compression of septal coronary arteries with by thallium-201 scintigraphy (Ugarte et al.), 1039 (Brief comm.)

rupture, ventricular, myocardial infarction with normal coronary arteries complicated by (St. Louis et al.), 1259 (Brief comm.)
right ventricular myocardial infarction with (Kereiakes et al.), 1257 (Brief comm.)

Septostomy, atrial, balloon, transumbilical, for transposition of the great arteries, in infants under the age of 60 hours (Roguin et al.), 174 (Brief comm.)

Sequential changes in regional coronary flow during pacing-induced angina pectoris: coronary flow limitation precedes angina (Wilson et al.), 269

radionuclide angiographic assessment of left and right ventricular performance and quantitative thallium-201 scintigraphy following acute myocardial infarction (Hirsowitz et al.), 934

Serial thallium-201 imaging after dipyridamole for coronary disease detection: quantitative analysis using myocardial clearance (Okada et al.), 475

Serum alpha-hydroxybutyrate dehydrogenase levels, assessment of myocardial damage in patients with acute myocardial infarction by serial measurement of (van der Laarse et al.), 248

digoxin concentrations in patients, effect of nifedipine on (Schwartz, Raizner, and Akers), 669

Serum—continued

- lipids as indicators of occult coronary artery disease assessed by angiography (Ramsdale et al.), 811
- blood pressure, smoking, diabetes, health knowledge, and behavior: cardiovascular risk factors among urban American Indians (Gillum, Gillum, and Smith), 765
- Shock, cardiogenic**, following acute myocardial infarction, prenalterol in (Coma-Canella, Lopez-Sendon, and Jadraque), 1195
- Sick sinus node syndrome** patients with implanted atrial pacemakers, stability of AV conduction in (Hayes and Furman), 644
- Sinus node and atrium**, canine, acetylcholine-calcium interactions in (Loeb and deTarnowsky), 1161
- or AV node of dogs, no electrical instability after intracoronary streptokinase administered into (Epstein, Urthaler, and James), 902
- of Valsalva aneurysm, unruptured, echocardiographic diagnosis of (Lewis and Agathangelou), 1025 (Brief comm.)
- left, common origin of right and left coronary arteries from region of: association with unexpected intrauterine fetal death (Muus and McManus), 1285 (Brief comm.)
- rhythm in coronary disease patients, prevalence and clinical significance of the repetitive ventricular response during (Breithardt et al.), 229
- standstill following accidental lidocaine overdose (Antonelli, Ben-Ami, and Weiss), 1042 (Brief comm.)
- 6-keto-PGF_{1α}, thromboxane B₂, PGE₂, PGF_{2α}, and PGA, plasma levels in arteriosclerosis obliterans: relationship to clinical manifestations, risk factors, and arterial pathoanatomy (Jouve et al.), 45
- Sleep apnea-hypersomnia syndrome**: its recognition in clinical cardiology (Burack), 543
- Smoking**, blood pressure, serum lipids, diabetes, health knowledge, and behavior: cardiovascular risk factors among urban American Indians (Gillum, Gillum, and Smith), 765
- Sodium and potassium intake** in essential hypertension, assessing (Gillum, Prineas, and Elmer), 549
- Sonomicrometry and M-mode echocardiography**, comparison between in detection of ischemic wall dysfunction (Guth et al.), 449
- Sotalol-induced torsade de pointes** (Kuck et al.), 179 (Brief comm.)
- intravenous, a beta-blocking drug with class III antiarrhythmic properties, clinical electrophysiology of (Touboul et al.), 888
- replacement of amiodarone by for repetitive ventricular premature beats (Burckhardt, White, and Hoffmann), 167 (Brief comm.)
- Spasm, coronary, and intracoronary thrombus**, acute coronary occlusion during balloon angioplasty due to: a reversible complication (Ischinger, Zack, and Aker), 1271 (Brief comm.)
- ergonovine-induced, refractory to intracoronary nitroglycerin but responsive to nitroprusside (Hastey, Erwin, and Ramanathan), 778 (Brief comm.)
- provoked by angiography (Dodek and Hooper), 781 (Brief comm.)
- ST segment depression**, anterolateral, in acute inferior myocardial infarction: angiographic and clinical implications (Roubin et al.), 1177
- Standstill, sinus**, following accidental lidocaine overdose (Antonelli, Ben-Ami, and Weiss), 1042 (Brief comm.)
- Stenosis, aortic**, in adult patients, noninvasive evaluation of severity of (Nakamura et al.), 959
- mitral, rheumatoid, requiring valve replacement (Bortolotti et al.), 1049 (Brief comm.)
- peripheral left pulmonary artery branch, scimitar syndrome with (Platia and Brinker), 594 (Brief comm.)
- subaortic, discrete membranous: ECG and vectorcardiographic findings (Blieden et al.), 1293 (Brief comm.)
- Stimulation, atrial**, programmed, in children, induction of non-sustained atrial flutter by: incidence, mechanisms, and clinical implications (Casta et al.), 444
- ventricular, programmed, in patients without spontaneous ventricular tachycardia (Morady et al.), 875
- Straddling and overriding atrioventricular valves** associated with complex congenital heart disease, two-dimensional echocardiographic evaluation of (Barron et al.), 1006
- Strangulation, fatal cardiac**, by congenital partial pericardial defect (Jones and McManus), 183 (Brief comm.)
- Streptokinase infusion, intracoronary**, for myocardial infarction, role of coronary artery bypass surgery after (Walker et al.), 826
- intracoronary, administered into sinus node or AV node of dogs, no electrical instability after (Epstein, Urthaler, and James), 902
- in evolving acute myocardial infarction (Feldman et al.), 823
- Stroke volume in cardiac patients**, comparison of noninvasive pulsed Doppler and Fick measurements of (Loepky et al.), 339
- Stunned myocardium**, reperfusion salvaged, response of to inotropic stimulation (Ellis et al.), 13
- Subaortic stenosis, discrete membranous**: ECG and vectorcardiographic findings (Blieden et al.), 1293 (Brief comm.)
- Subcostal M-mode echocardiography** of right atrial wall for differentiation of supraventricular tachyarrhythmias with aberration from ventricular tachycardia (Drinovic), 325
- Substrate**, plasma renin, renin activity, and aldosterone levels in a sample of oral contraceptive users from a community survey (Goldhaber et al.), 119
- Sudden cardiac death** without associated myocardial infarction, prognosis after: One year follow-up of empiric therapy with amiodarone (Peter et al.), 209
- death in an asymptomatic young man with notched T waves and QT prolongation (Karjalainen and Heikkilä), 1040 (Brief comm.)
- in primary mitral valve prolapse (Pocock et al.), 378 (Brief comm.)
- prevention of myocardial reinfarction and of in survivors of acute myocardial infarction: role of prophylactic beta-adrenoceptor blockade (Singh and Venkatesh), 189
- unexpected death, epidemiology of: risk factors for men and women in the Framingham Heart Study (Schatzkin et al.), 1300
- Supra-Hisian AV block**, intermittent, verapamil effects in AV node reentry tachycardia with (Hamer et al.), 431
- Supraventricular tachyarrhythmias** with aberration from ventricular tachycardia, subcostal M-mode echocardiography of right atrial wall for differentiation of (Drinovic), 326
- tachycardia, electrophysiologic effects and mechanisms of termination of by intravenous amiodarone (Gomes et al.), 214
- observations in patients with having a PR interval shorter than the RP interval: differentiation between atrial tachycardia and reciprocating atrioventricular tachycardia using an accessory pathway with long conduction times (Brugada et al.), 556
- Surgical removal of right atrial thromboembolus** detected by two-dimensional echocardiography in pulmonary embolism (Nestico et al.), 1278 (Brief comm.)
- therapy, a new guide to: fragmented endocardial electrical activity in patients with ventricular tachycardia (Wiener, Mindich, and Pitchon), 86
- Symptomatic ischemic heart disease**, effect of dobutamine on exercise performance in patients with (Rabinovitch et al.), 81
- Syncope**, factors that predict during ventricular tachycardia in patients (Hamer et al.), 997
- Systolic clicks**, multiple, and echographic coarse systolic fluttering with porcine valve malfunction (Szkopiec et al.), 794 (Brief comm.)
- compression of septal coronary arteries with septal ischemia by thallium-201 scintigraphy (Ugarte et al.), 1039 (Brief comm.)
- fluttering, coarse, echographic, and multiple systolic clicks with porcine valve malfunction (Szkopiec et al.), 794 (Brief comm.)
- partial closure (notching), echographic early, of the aortic valve in congestive cardiomyopathy (Gardin, Tommaso, and Talano), 135
- time intervals in patients with coronary artery disease, effect of prolonged intense endurance training on (Martin et al.), 75
- wall thickening, decreased, in myocardium adjacent to ischemic zones in conscious swine during brief coronary artery occlusion (Guth et al.), 458

T

T waves, notched, and QT prolongation, sudden death in an asymptomatic young man with (Karjalainen and Heikkilä), 1040 (Brief comm.)

Tachyarrhythmias, supraventricular, with aberration from ventricular tachycardia, subcostal M-mode echocardiography of right atrial wall for differentiation of (Drinikovic), 326

ventricular, amiodarone-induced (Santinelli, Chiariello, and Condorelli), 610 (Letter)

Reply (Sclarovsky et al.), 611

Tachycardia, atrial, and reciprocating atrioventricular tachycardia, differentiation between using an accessory pathway with long conduction times: observations in patients with supraventricular tachycardia having a PR interval shorter than the RP interval (Brugada et al.), 556

atrioventricular, reciprocating, and atrial tachycardia, differentiation between using an accessory pathway with long conduction times: observations in patients with supraventricular tachycardia having a PR interval shorter than the RP interval (Brugada et al.), 556

reentrant, atrioventricular nodal, initiation of in patients with discontinuous anterograde atrioventricular nodal conduction curves with and without documented supraventricular tachycardia: observations on role of a discontinuous retrograde conduction curve (Brugada et al.), 685

reentry, AV node, verapamil effects in with intermittent supra-Hisian AV block (Hamer et al.), 431

refractory ventricular, complicating recovery from acute myocardial infarction: treatment with map-guided infarctectomy (Garan et al.), 571

supraventricular, documented, initiation of atrioventricular nodal reentrant tachycardia in patients with discontinuous anterograde atrioventricular nodal conduction curves with and without: observations on role of a discontinuous retrograde conduction curve (Brugada et al.), 685

electrophysiologic effects and mechanisms of termination of by intravenous amiodarone (Gomes et al.), 214

observations in patients with having a PR interval shorter than the RP interval: differentiation between atrial tachycardia and reciprocating atrioventricular tachycardia using an accessory pathway with long conduction times (Brugada et al.), 556

ventricular, and inducible repetitive ventricular responses, effects of intravenous amiodarone in patients with (Hariman et al.), 1109

fragmented endocardial electrical activity in patients with: a new guide to surgical therapy (Wiener, Mindich, and Pitchon), 86

in patients, factors that predict syncope during (Hamer et al.), 997

lidocaine resistant, mexiletine in (Abinader), 808 (Letter)

Reply (Santinelli, Chiariello, and Condorelli), 808

nonstabilized, high prevalence of in severe congestive heart failure (Maskin, Siskind, and LeJemtel), 896

pacing termination of: influence of antiarrhythmic-slowed ectopic rate (Keren, Miura, and Somberg), 638

patients with, electrophysiologic effects of ethmozin in (Mann et al.), 674

spontaneous, programmed ventricular stimulation in patients without (Morady et al.), 875

subcostal M-mode echocardiography of right atrial wall for differentiation of supraventricular tachyarrhythmias with aberration from (Drinikovic), 326

Tamponade, cardiac, acute right ventricular dilation and echocardiographic volume overload following pericardiotomy for relief of (Armstrong, Feigenbaum, and Dillon), 1266 (Brief comm.)

pericardial, nonlinear dynamics, and electrical alternans (Goldberger et al.), 1297

Telemetry of electrophysiologic variables from conscious dogs: system design, validation, and serial studies (Rosenblom et al.), 90

Temporary atrial pacing catheter, new, clinical evaluation of a: results in 100 patients (Littleford et al.), 237

Thallium-201 imaging, serial, after dipyridamole for coronary disease detection: quantitative analysis using myocardial clearance (Okada et al.), 475

Thallium-201—continued

myocardial perfusion imaging, increased myocardial ischemia during supine compared to erect exercise demonstrated by (Kelly et al.), 1263 (Brief comm.)

perfusion exercise test compared to the cardiogram exercise test in the diagnosis of coronary artery disease (Burke et al.), 718

scintigraphy during dobutamine infusion: nonexercise-dependent screening test for coronary disease (Mason et al.), 481

effects of resting ischemia on QRS scoring system as assessed by for estimating LV function quantified by radionuclide angiography in acute myocardial infarction patients (DePace, Hakki, and Iskandrian), 1210

quantitative, and left and right ventricular performance following acute myocardial infarction, sequential radionuclide angiographic assessment of (Hirsowitz et al.), 934

systolic compression of septal coronary arteries with septal ischemia by (Ugarte et al.), 1039 (Brief comm.)

Therapy, medical, clinical trials and their effect on: The Multiple Risk Factor Intervention Trial (Moser), 616

Thromboembolus, right atrial, surgical removal of, detected by two-dimensional echocardiography in pulmonary embolism (Neatco et al.), 1278 (Brief comm.)

Thrombosis, coronary, experimental, beneficial effects of nafazatrom (BAYg6575) on (Shea et al.), 629

Thromboxane B₂, 6-keto-PGF_{1α}, PGE₂, PGF_{2α}, and PGA, plasma levels in arteriosclerosis obliterans: relationship to clinical manifestations, risk factors, and arterial pathoanatomy (Jouve et al.), 45

release in coronary artery disease: spontaneous versus pacing-induced angina (Mehta et al.), 286

Thrombus, intracoronary, and coronary spasm, acute coronary occlusion during balloon angioplasty due to: a reversible complication (Ischinger, Zack, and Aker), 1271 (Brief comm.)

Thymoma, pericardial, visualization of and evaluation of chemotherapy by two-dimensional echocardiography (Iacob et al.), 605 (Brief comm.)

Thyroid function and amiodarone (Puletti et al.), 399 (Letter)

Reply (Rotmansch, Belhassen, and Ferguson), 399

Time intervals, systolic, in patients with coronary artery disease, effect of prolonged intense endurance training on (Martin et al.), 75

Tocainide and mexiletine-lidocaine analogs: molecular basis for antigenicity of (Duff et al.), 585 (Brief comm.)

Tomography, computerized, abdominal, abnormal, with amiodarone therapy and clinical significance (Shenasa et al.), 929

Torsade de pointes complicating acute myocardial infarction (Griffin and Most), 169 (Brief comm.)

due to quinidine: observations in 31 patients (Bauman et al.), 425

mexiletine for treatment of (Shah and Schwartz), 589 (Brief comm.)

sotalol-induced (Kuck et al.), 179 (Brief comm.)

Training, endurance, prolonged intense, effect of on systolic time intervals in patients with coronary artery disease (Martin et al.), 75

Transcatheter in vivo vaporization of aortic valve: effects of laser irradiation on cardiac valves (Lee et al.), 394 (Brief comm.)

Transesophageal two-dimensional echocardiography, intraoperative detection of changes in LV segmental wall motion by (Beaupre et al.), 1021 (Brief comm.)

Transient changes in left ventricular mechanics during attacks of Prinzmetal's angina: an M-mode echocardiographic study (Distanti et al.), 465

Transluminal balloon-catheter dilatation, operative, of the coronary arteries, experience with (Mills and Doyle), 838

coronary angioplasty, percutaneous, and coronary artery bypass surgery including surgery for failed angioplasty, comparison of (Jones, Murphy, and Craver), 830

in acute myocardial infarction (Pepine et al.), 820

significance of chest pain during (Aueron, Gruentzig, and Meier), 578 (Brief comm.)

6 years' experience (Gruentzig), 818

Transmural and nontransmural myocardial infarction, acute, on ventricular function, comparison of the influence of (Nicod et al.), 28

Transplant recipients, cardiac, comparison of patients with ischemic, myopathic, and rheumatic heart diseases as (Lanza et al.), 8

Transplanted human heart, the electrophysiologic characteristics of the (Bexton et al.), 1

Transposition of the great arteries, transumbilical balloon atrial septostomy for in infants under the age of 60 hours (Roguin et al.), 174 (Brief comm.)

Transseptal balloon catheterization of the left ventricle in adult valvular heart disease (Lam, Juska, and Pietras), 147

Transtelephonic coronary intervention, prehospital, early, effect of on morbidity and mortality: experience with 284 postmyocardial infarction patients in a pilot program (Capone et al.), 1153

Transumbilical balloon atrial septostomy for transposition of the great arteries in infants under the age of 60 hours (Roguin et al.), 174 (Brief comm.)

Treadmill exercise testing, repeat: variability of results in patients with angina pectoris (Starling et al.), 298

performance, generalized equations for predicting functional capacity from (Foster et al.), 1229

Trial(s), clinical, and their effect on medical therapy: The Multiple Risk Factor Intervention Trial (Moser), 616

Multiple Risk Factor Intervention, the: clinical trials and their effect on medical therapy (Moser), 616

Tricuspid anulus, calcification of diagnosed by two-dimensional echocardiography (Mattleman et al.), 986

honks, phonocardiography in (Chia et al.), 1032 (Brief comm.)

regurgitation-like murmur due to mitral regurgitation with left phrenic nerve paralysis (Hirota et al.), 181 (Brief comm.)

Triple-valve endocarditis with unusual echocardiographic findings (Rippe et al.), 598 (Brief comm.)

Tuberculous pericardial effusion, echocardiographic abnormalities in (Chia et al.), 1032 (Brief comm.)

Tumor(s), cardiac, metastatic, in pediatric patients, two-dimensional echocardiography for evaluation of (Grenadier et al.), 122

mediastinal, causing continuous murmur (Cooke, Wolk, and Cheitlin), 1282 (Brief comm.)

metastasis, coronary artery, fatal (Lasky), 785 (Brief comm.)

Twins, identical, endocardial fibroelastosis with congenital complete heart block in (Rios, Duff, and Simpson), 1290 (Brief comm.)

Two-dimensional and M-mode echocardiographic findings in pulmonic valve endocarditis (Berger et al.), 391 (Brief comm.)

echo Doppler study of congenital disorders of the mitral valve (Grenadier et al.), 319

echocardiographic assessment of radiation-induced valvular heart disease (Detrano, Yiannikas, and Salcedo), 584 (Brief comm.)

evaluation of overriding and straddling atrioventricular valves associated with complex congenital heart disease (Barron et al.), 1006

of right ventricular infarction (Jugdutt et al.), 505

identification of epicardial pacemaker wire perforation (Chazal and Feigenbaum), 165 (Brief comm.)

preoperative prediction of prosthetic aortic valve size (Cohen et al.), 108

echocardiography, assessment of right ventricular function using (Kaul et al.), 526

calcification of tricuspid anulus diagnosed by (Mattleman et al.), 986

cold pressor test during: usefulness in detection of patients with coronary disease (Gondi and Nanda), 278

for evaluation of metastatic cardiac tumors in pediatric patients (Grenadier et al.), 122

in pulmonary embolism, surgical removal of right atrial thromboembolus detected by (Nestico et al.), 1278 (Brief comm.)

in the detection of noneffusive cardiac involvement by intrathoracic neoplasms (Cohen, Raible, and Ansini-lli), 532

in the diagnosis of carcinoid heart disease (Forman et al.), 492

of ruptured pulmonic valve with infective endocarditis (Suwa et al.), 1027 (Brief comm.)

Two-dimensional echocardiography—continued

right ventricular function in coronary artery disease as assessed by (Panidis et al.), 1187

systematic visualization of coronary arteries by in children and infants: evaluation in Kawasaki's disease and coronary arteriovenous fistulas (Satomi et al.), 497

transesophageal, intraoperative detection of changes in LV segmental wall motion by (Beaupre et al.), 1021 (Brief comm.)

visualization of pericardial thymoma and evaluation of chemotherapy by (Ilececo et al.), 605 (Brief comm.)

U

Unexpected death, sudden, epidemiology of: risk factors for men and women in the Framingham Heart Study (Schatzkin et al.), 1300

Unidirectional retrograde accessory pathways, antegrade conduction and AV node function in patients with (Henglein et al.), 411

Unipolar demand pacemaker myopotential inhibition, Holter monitoring and provocative maneuvers in assessment of (Gaita et al.), 925

Univentricular heart, management of infants with (Chen et al.), 1252

University of Florida experience with intraoperative balloon-catheter dilatation (Faro et al.), 841

Unruptured sinus of Valsalva aneurysm, echocardiographic diagnosis of (Lewis and Agathangelou), 1025 (Brief comm.)

Unstable angina pectoris, alterations in left ventricular function during therapy of: relationship to clinical outcome (Narahara et al.), 261

V

Valsalva aneurysm, sinus of, unruptured, echocardiographic diagnosis of (Lewis and Agathangelou), 1025 (Brief comm.)

left sinus of, common origin of right and left coronary arteries from region of: association with unexpected intrauterine fetal death (Muus and McManus), 1285 (Brief comm.)

Valve(s), aortic, in congestive cardiomyopathy, echographic early systolic partial closure (notching) of the (Gardin, Tommaso, and Talano), 135

atrioventricular, overriding and straddling, associated with complex congenital heart disease, two-dimensional echocardiographic evaluation of (Barron et al.), 1006

cardiac, effects of laser irradiation on: transcatheter in vivo vaporization of aortic valve (Lee et al.), 394 (Brief comm.)

endocarditis, pulmonic, M-mode and two-dimensional echocardiographic findings in (Berger et al.), 391 (Brief comm.)

malfunction, porcine, multiple systolic clicks and echographic coarse systolic fluttering with (Szkopiec et al.), 794 (Brief comm.)

mitral, congenital disorders of the, two-dimensional echo Doppler study of (Grenadier et al.), 319

opening, pulmonic, premature, echographic: sign of reduced right ventricular distensibility (Benito et al.), 1029 (Brief comm.)

prolapse, mitral, primary, sudden death in (Pocock et al.), 378 (Brief comm.)

prosthetic, mechanical, anticoagulants during pregnancy for (Danel and Cooper), 607 (Letter)

Reply (Tamari), 607

pulmonic, ruptured, with infective endocarditis, two-dimensional echocardiography of (Suwa et al.), 1027 (Brief comm.)

replacement, rheumatoid mitral stenosis requiring (Bortolotti et al.), 1049 (Brief comm.)

size, prosthetic aortic, two-dimensional echocardiographic pre-operative prediction of (Cohen et al.), 108

Valvular heart disease, adult, transseptal balloon catheterization of the left ventricle in (Lam, Juska, and Pietras), 147
radiation-induced, two-dimensional echocardiographic assessment of (Detrano, Yiannikas, and Salcedo), 584 (Brief comm.)
Vaporization of aortic valve, transcatheter *in vivo*: effects of laser irradiation on cardiac valves (Lee et al.), 394 (Brief comm.)
Variant angina, ergonovine-induced episodes of, ventricular arrhythmias during (Szalachic et al.), 20
induced by alcohol ingestion (Takizawa et al.), 25
Vasoconstriction, coronary, due to prolonged hypoxia, involvement of calcium in (Karmazyn, Beamish, and Dhalla), 293
Vasodilator, diuretic, and positive inotropic drugs in left ventricular failure following acute myocardial infarction, hemodynamic trial of sequential treatment with (Nelson et al.), 1202
Vectorcardiographic and electrocardiographic findings in discrete membranous subaortic stenosis (Blieden et al.), 1293 (Brief comm.)
Vein syndrome, scimitar: report of nine new cases (Oakley et al.), 596 (Brief comm.)
Venous pressure-volume relationship, forearm, radionuclide analysis of: response to nitroglycerin (Dittrich and Slutsky), 733
Ventricle, right, the essential function of the (Furey, Zieske, and Levy), 404
Ventricular arrhythmias and ischemia-induced conduction delay, relationship between in closed-chest animals within 24 hours of myocardial infarction (Fujimoto et al.), 201
and left ventricular function, effects of acetyl-strophanthidin on (Podrid et al.), 882
during ergonovine-induced episodes of variant angina (Szalachic et al.), 20
long-term mexiletine for (Stein et al.), 1091
malignant, in patients with chronic chagasic myocarditis, efficacy of amiodarone during long-term treatment of (Chiale et al.), 656
mechanisms and actions of antiarrhythmic drugs (Wellens, Brugada and Farre), 1053
potentially dangerous, efficacy of amiodarone during long-term treatment of in patients with chronic stable ischemic heart disease (Kaski et al.), 648
refractory, oral mexiletine in treatment of: role of electrophysiologic techniques (Schoenfeld et al.), 1071
reperfusion, role of beta-adrenoreceptor antagonism in the prevention of: effects of acebutolol, atenolol, and d-propranolol on isolated working rat hearts subject to myocardial ischemia and reperfusion (Rochette et al.), 1132
with mexiletine, practical considerations in treatment of (Akhtar), 1086
demand versus atrioventricular pacemakers, evaluation of left ventricular performance by radionuclide ventriculography in patients with (Nitsch et al.), 906
ectopic beats in acute myocardial infarction, effects of intravenous nitroglycerin on (Bussmann, Neumann, and Kalttenbach), 940
endocardial pacing leads, characterization of chronically implanted (Angello, McAnulty, and Dobbs), 1142
free wall, right, total disconnection of the: physiological consequences in the dog (Jones, Guiraudon, and Klein), 1169
function, comparison of the influence of acute transmural and nontransmural myocardial infarction on (Nicod et al.), 28
left, and ventricular arrhythmias, effects of acetyl-strophanthidin on (Podrid et al.), 882
during therapy of unstable angina pectoris, alterations in: relationship to clinical outcome (Narahara et al.), 261
in patients with chronic hypophosphatemia (Vered et al.), 796 (Brief comm.)
right, assessment of using two-dimensional echocardiography (Kaul et al.), 526
in coronary artery disease as assessed by two-dimensional echocardiography (Panidis et al.), 1187
infarction, right: two-dimensional echocardiographic evaluation (Jugdutt et al.), 505
Ventricular -continued
involvement, right, with acute inferior wall myocardial infarction identifies high risk of developing atrioventricular nodal conduction disturbances (Braat et al.), 1183
mechanics, left, transient changes in during attacks of Prinzmetal's angina: an M-mode echocardiographic study (Distante et al.), 465
performance, left and right, and quantitative thallium-201 scintigraphy following acute myocardial infarction, sequential radionuclide angiographic assessment of (Hirszowitz et al.), 934
evaluation of by radionuclide ventriculography in patients with atrioventricular versus ventricular demand pacemakers (Nitsch et al.), 906
premature beats, repetitive, replacement of amiodarone by sotalol for (Burkhardt, White, and Hoffmann), 167 (Brief comm.)
pressure decline, left, during isovolumic relaxation in normal and diseased hearts, clinical characteristics of (Katayama et al.), 332
response(s), repetitive, inducible, and ventricular tachycardia, effects of intravenous amiodarone in patients with (Hariman et al.), 1109
prevalence and clinical significance of the during sinus rhythm in coronary disease patients (Breithardt et al.), 229
septal rupture, myocardial infarction with normal coronary arteries complicated by (St. Louis et al.), 1259 (Brief comm.)
right ventricular myocardial infarction with (Kereiakes et al.), 1257 (Brief comm.)
stimulation, programmed, in patients without spontaneous ventricular tachycardia (Morady et al.), 875
tachyarrhythmias, amiodarone-induced (Santinelli, Chiariello, and Condorelli), 610 (Letter)
Reply (Sclarovsky et al.), 611
tachycardia and inducible repetitive ventricular responses, effects of intravenous amiodarone in patients with (Hariman et al.), 1109
fragmented endocardial electrical activity in patients with: a new guide to surgical therapy (Wiener, Mindich, and Pitchon), 86
in patients, factors that predict syncope during (Hamer et al.), 997
lidocaine resistant, mexiletine in (Abinader), 808 (Letter)
Reply (Santinelli, Chiariello, and Condorelli), 808
nonstabilized, high prevalence of in severe congestive heart failure (Maskin, Siskind, and LeJemtel), 896
pacing termination of: influence of antiarrhythmic-slowed ectopic rate (Keren, Miura, and Somberg), 638
patients with, electrophysiologic effects of ethmozin in (Mann et al.), 674
refractory, complicating recovery from acute myocardial infarction: treatment with map-guided infarctectomy (Garan et al.), 571
spontaneous, programmed ventricular stimulation in patients without (Morady et al.), 875
subcostal M-mode echocardiography of right atrial wall for differentiation of supraventricular tachyarrhythmias with aberration from (Drinkovic), 326
volume(s) and cardiac output, attenuation correction of equilibrium radionuclide angiography for noninvasive quantitation of (Petru et al.), 1221
left, and R wave amplitude induced by rapid atrial pacing, correlation between changes in (Daniels et al.), 711
Ventriculocarotid conduction, shortening of in patients with left-sided Kent bundles (Cinca et al.), 912
Ventriculography, radionuclide, in patients with atrioventricular versus ventricular demand pacemakers, evaluation of left ventricular performance by (Nitsch et al.), 906
Verapamil effects in AV node reentry tachycardia with intermittent supra-Hisian AV block (Hamer et al.), 431
of in patients with acute myocardial infarction: hemodynamics and function of normal and ischemic left ventricular myocardium (Heikkilä and Nieminen), 241
intravenous, in patients on chronic propranolol therapy, hemodynamic effects of (Reddy, Uretsky, and Steinfeld), 97
therapy, oral, accelerated junctional rhythms during (Schwartz et al.), 440

Visualization, systematic, of coronary arteries by two-dimensional echocardiography in children and infants: evaluation in Kawasaki's disease and coronary arteriovenous fistulas (Satomi et al.), 497
Volume change, left atrial, relationship of the interatrial septal echocardiogram to in the normal and diseased heart (Chung-Sheng, Hon-Yuan, and Yih), 519
overload, echocardiographic, and acute right ventricular dilation following pericardiocentesis for relief of cardiac tamponade (Armstrong, Feigenbaum, and Dillon), 1266 (Brief comm.)

W

Wall dysfunction, ischemic, detection: comparison between M-mode echocardiography and sonomicrometry (Guth et al.), 449

Wall—*continued*
motion abnormalities, left ventricular, in Kawasaki's disease (Grenadier et al.), 966
segmental, LV, intraoperative detection of changes in by transesophageal two-dimensional echocardiography (Beaupre et al.), 1021 (Brief comm.)
thickening, systolic, decreased, in myocardium adjacent to ischemic zone in conscious swine during brief coronary artery occlusion (Guth et al.), 458
Wedge pressure, pulmonary capillary, in mitral regurgitation, noninvasive assessment of (Gamble, Salerni, and Shaver), 950
Whole-body hypothermia, effect of on myocardial blood flow and infarct salvage during coronary artery occlusion in dogs (Voorhees, Abendschein, and Tacker), 945
Wire perforation, epicardial pacemaker, two-dimensional echocardiographic identification of (Chazal and Feigenbaum), 165 (Brief comm.)

